

Package ‘NHLData’

October 12, 2022

Type Package

Title Scores for Every Season Since the Founding of the NHL in 1917

Version 1.0.0

Author D. Lukke Sweet

Maintainer D. Lukke Sweet <dls229@zips.uakron.edu>

Depends R (>= 2.10)

Description Each dataset contains scores for every game during a specific season of the NHL.

License CC0

Encoding UTF-8

LazyData true

NeedsCompilation no

Repository CRAN

Date/Publication 2017-03-08 08:22:06

R topics documented:

Sch0001	3
Sch0102	4
Sch0203	5
Sch0304	6
Sch0506	7
Sch0607	8
Sch0708	9
Sch0809	10
Sch0910	11
Sch1011	12
Sch1112	13
Sch1213	14
Sch1314	15
Sch1415	16
Sch1516	17
Sch1718	18

Sch1819	19
Sch1920	20
Sch2021	21
Sch2122	22
Sch2223	23
Sch2324	24
Sch2425	25
Sch2526	26
Sch2627	27
Sch2728	28
Sch2829	29
Sch2930	30
Sch3031	31
Sch3132	32
Sch3233	33
Sch3334	34
Sch3435	35
Sch3536	36
Sch3637	37
Sch3738	38
Sch3839	39
Sch3940	40
Sch4041	41
Sch4142	42
Sch4243	43
Sch4344	44
Sch4445	45
Sch4546	46
Sch4647	47
Sch4748	48
Sch4849	49
Sch4950	50
Sch5051	51
Sch5152	52
Sch5253	53
Sch5354	54
Sch5455	55
Sch5556	56
Sch5657	57
Sch5758	58
Sch5859	59
Sch5960	60
Sch6061	61
Sch6162	62
Sch6263	63
Sch6364	64
Sch6465	65
Sch6566	66

Sch6667	67
Sch6768	68
Sch6869	69
Sch6970	70
Sch7071	71
Sch7172	72
Sch7273	73
Sch7374	74
Sch7475	75
Sch7576	76
Sch7677	77
Sch7778	78
Sch7879	79
Sch7980	80
Sch8081	81
Sch8182	82
Sch8283	83
Sch8384	84
Sch8485	85
Sch8586	86
Sch8687	87
Sch8788	88
Sch8889	89
Sch8990	90
Sch9091	91
Sch9192	92
Sch9293	93
Sch9394	94
Sch9495	95
Sch9596	96
Sch9697	97
Sch9798	98
Sch9899	99
Sch9900	100

Index	102
--------------	------------

Sch0001	<i>2000-2001 Season Results</i>
---------	---------------------------------

Description

Contains scores for every game of the 2000-2001 season of the NHL

Usage

```
data("Sch0001")
```

Format

A data frame with 1316 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch0001)

## This command will show the results for the first game of the season.
Sch0001[1,]
```

Sch0102

2001-2002 Season Results

Description

Contains scores for every game of the 2001-2002 season of the NHL

Usage

```
data("Sch0102")
```

Format

A data frame with 1320 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch0102)
```

```
## This command will show the results for the first game of the season.  
Sch0102[1,]
```

Sch0203

2002-2003 Season Results

Description

Contains scores for every game of the 2002-2003 season of the NHL

Usage

```
data("Sch0203")
```

Format

A data frame with 1319 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch0203)

## This command will show the results for the first game of the season.
Sch0203[1,]
```

Sch0304

2003-2004 Season Results

Description

Contains scores for every game of the 2003-2004 season of the NHL

Usage

```
data("Sch0304")
```

Format

A data frame with 1319 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch0304)
```

```
## This command will show the results for the first game of the season.  
Sch0304[1,]
```

Sch0506

2005-2006 Season Results

Description

Contains scores for every game of the 2005-2006 season of the NHL

Usage

```
data("Sch0506")
```

Format

A data frame with 1313 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch0506)
```

```
## This command will show the results for the first game of the season.  
Sch0506[1,]
```

Sch0607

2006-2007 Season Results

Description

Contains scores for every game of the 2006-2007 season of the NHL

Usage

```
data("Sch0607")
```


Format

A data frame with 1311 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch0607)

## This command will show the results for the first game of the season.
Sch0607[1,]
```

Sch0708

2007-2008 Season Results

Description

Contains scores for every game of the 2007-2008 season of the NHL

Usage

```
data("Sch0708")
```

Format

A data frame with 1315 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch0708)
```

```
## This command will show the results for the first game of the season.  
Sch0708[1,]
```

Sch0809

2008-2009 Season Results

Description

Contains scores for every game of the 2008-2009 season of the NHL

Usage

```
data("Sch0809")
```

Format

A data frame with 1317 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch0809)

## This command will show the results for the first game of the season.
Sch0809[1,]
```

Sch0910

2009-2010 Season Results

Description

Contains scores for every game of the 2009-2010 season of the NHL

Usage

```
data("Sch0910")
```

Format

A data frame with 1319 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch0910)

## This command will show the results for the first game of the season.
Sch0910[1,]
```

Sch1011

2010-2011 Season Results

Description

Contains scores for every game of the 2010-2011 season of the NHL

Usage

```
data("Sch1011")
```

Format

A data frame with 1319 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch1011)

## This command will show the results for the first game of the season.
Sch1011[1,]
```

Sch1112

2011-2012 Season Results

Description

Contains scores for every game of the 2011-2012 season of the NHL

Usage

```
data("Sch1112")
```

Format

A data frame with 1316 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch1112)

## This command will show the results for the first game of the season.
Sch1112[1,]
```

Sch1213

2012-2013 Season Results

Description

Contains scores for every game of the 2012-2013 season of the NHL

Usage

```
data("Sch1213")
```

Format

A data frame with 806 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch1213)

## This command will show the results for the first game of the season.
Sch1213[1,]
```

Sch1314

2013-2014 Season Results

Description

Contains scores for every game of the 2013-2014 season of the NHL

Usage

```
data("Sch1314")
```

Format

A data frame with 1323 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch1314)
```

```
## This command will show the results for the first game of the season.  
Sch1314[1,]
```

Sch1415

2014-2015 Season Results

Description

Contains scores for every game of the 2014-2015 season of the NHL

Usage

```
data("Sch1415")
```


Format

A data frame with 1319 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch1415)
```

```
## This command will show the results for the first game of the season.  
Sch1415[1,]
```

Sch1516

2015-2016 Season Results

Description

Contains scores for every game of the 2015-2016 season of the NHL

Usage

```
data("Sch1516")
```

Format

A data frame with 1321 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

SO Indicates if the game ended in a shootout

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch1516)
```

```
## This command will show the results for the first game of the season.  
Sch1516[1,]
```

Sch1718

1917-1918 Season Results

Description

Contains scores for every game of the 1917-1918 season of the NHL

Usage

```
data("Sch1718")
```

Format

A data frame with 38 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch1718)
```

```
## This command will show the results for the first game of the season.  
Sch1718[1,]
```

Sch1819

1918-1919 Season Results

Description

Contains scores for every game of the 1918-1919 season of the NHL

Usage

```
data("Sch1819")
```

Format

A data frame with 32 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch1819)
```

```
## This command will show the results for the first game of the season.  
Sch1819[1,]
```

Sch1920

1919-1920 Season Results

Description

Contains scores for every game of the 1919-1920 season of the NHL

Usage

```
data("Sch1920")
```

Format

A data frame with 48 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch1920)

## This command will show the results for the first game of the season.
Sch1920[1,]
```

Sch2021

1920-1921 Season Results

Description

Contains scores for every game of the 1920-1921 season of the NHL

Usage

```
data("Sch2021")
```

Format

A data frame with 50 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch2021)

## This command will show the results for the first game of the season.
Sch2021[1,]
```

Sch2122

1921-1922 Season Results

Description

Contains scores for every game of the 1921-1922 season of the NHL

Usage

```
data("Sch2122")
```

Format

A data frame with 50 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch2122)
```

```
## This command will show the results for the first game of the season.  
Sch2122[1,]
```

Sch2223

1922-1923 Season Results

Description

Contains scores for every game of the 1922-1923 season of the NHL

Usage

```
data("Sch2223")
```

Format

A data frame with 50 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch2223)
```

```
## This command will show the results for the first game of the season.  
Sch2223[1,]
```

Sch2324

1923-1924 Season Results

Description

Contains scores for every game of the 1923-1924 season of the NHL

Usage

```
data("Sch2324")
```


Format

A data frame with 50 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch2324)
```

```
## This command will show the results for the first game of the season.  
Sch2324[1,]
```

Sch2425

1924-1925 Season Results

Description

Contains scores for every game of the 1924-1925 season of the NHL

Usage

```
data("Sch2425")
```

Format

A data frame with 92 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch2425)

## This command will show the results for the first game of the season.
Sch2425[1,]
```

Sch2526

1925-1926 Season Results

Description

Contains scores for every game of the 1925-1926 season of the NHL

Usage

```
data("Sch2526")
```

Format

A data frame with 130 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch2526)

## This command will show the results for the first game of the season.
Sch2526[1,]
```

Sch2627

1926-1927 Season Results

Description

Contains scores for every game of the 1926-1927 season of the NHL

Usage

```
data("Sch2627")
```

Format

A data frame with 232 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch2627)

## This command will show the results for the first game of the season.
Sch2627[1,]
```

Sch2728

1927-1928 Season Results

Description

Contains scores for every game of the 1927-1928 season of the NHL

Usage

```
data("Sch2728")
```

Format

A data frame with 233 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch2728)
```

```
## This command will show the results for the first game of the season.  
Sch2728[1,]
```

Sch2829

1928-1929 Season Results

Description

Contains scores for every game of the 1928-1929 season of the NHL

Usage

```
data("Sch2829")
```

Format

A data frame with 231 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch2829)
```

```
## This command will show the results for the first game of the season.  
Sch2829[1,]
```

Sch2930

1929-1930 Season Results

Description

Contains scores for every game of the 1929-1930 season of the NHL

Usage

```
data("Sch2930")
```

Format

A data frame with 232 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch2930)

## This command will show the results for the first game of the season.
Sch2930[1,]
```

Sch3031

1930-1931 Season Results

Description

Contains scores for every game of the 1930-1931 season of the NHL

Usage

```
data("Sch3031")
```

Format

A data frame with 236 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch3031)

## This command will show the results for the first game of the season.
Sch3031[1,]
```

Sch3132

1931-1932 Season Results

Description

Contains scores for every game of the 1931-1932 season of the NHL

Usage

```
data("Sch3132")
```


Format

A data frame with 205 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch3132)
```

```
## This command will show the results for the first game of the season.  
Sch3132[1,]
```

Sch3233

1932-1933 Season Results

Description

Contains scores for every game of the 1932-1933 season of the NHL

Usage

```
data("Sch3233")
```

Format

A data frame with 231 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch3233)

## This command will show the results for the first game of the season.
Sch3233[1,]
```

Sch3334

1933-1934 Season Results

Description

Contains scores for every game of the 1933-1934 season of the NHL

Usage

```
data("Sch3334")
```

Format

A data frame with 231 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch3334)

## This command will show the results for the first game of the season.
Sch3334[1,]
```

Sch3435

1934-1935 Season Results

Description

Contains scores for every game of the 1934-1935 season of the NHL

Usage

```
data("Sch3435")
```

Format

A data frame with 229 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch3435)

## This command will show the results for the first game of the season.
Sch3435[1,]
```

Sch3536

1935-1936 Season Results

Description

Contains scores for every game of the 1935-1936 season of the NHL

Usage

```
data("Sch3536")
```

Format

A data frame with 206 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch3536)
```

```
## This command will show the results for the first game of the season.  
Sch3536[1,]
```

Sch3637

1936-1937 Season Results

Description

Contains scores for every game of the 1936-1937 season of the NHL

Usage

```
data("Sch3637")
```

Format

A data frame with 209 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch3637)

## This command will show the results for the first game of the season.
Sch3637[1,]
```

Sch3738

1937-1938 Season Results

Description

Contains scores for every game of the 1937-1938 season of the NHL

Usage

```
data("Sch3738")
```

Format

A data frame with 208 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch3738)
```

```
## This command will show the results for the first game of the season.  
Sch3738[1,]
```

Sch3839

1938-1939 Season Results

Description

Contains scores for every game of the 1938-1939 season of the NHL

Usage

```
data("Sch3839")
```

Format

A data frame with 188 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch3839)
```

```
## This command will show the results for the first game of the season.  
Sch3839[1,]
```

Sch3940

1939-1940 Season Results

Description

Contains scores for every game of the 1939-1940 season of the NHL

Usage

```
data("Sch3940")
```


Format

A data frame with 187 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch3940)
```

```
## This command will show the results for the first game of the season.  
Sch3940[1,]
```

Sch4041

1940-1941 Season Results

Description

Contains scores for every game of the 1940-1941 season of the NHL

Usage

```
data("Sch4041")
```

Format

A data frame with 187 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch4041)
```

```
## This command will show the results for the first game of the season.  
Sch4041[1,]
```

Sch4142

1941-1942 Season Results

Description

Contains scores for every game of the 1941-1942 season of the NHL

Usage

```
data("Sch4142")
```

Format

A data frame with 189 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch4142)
```

```
## This command will show the results for the first game of the season.  
Sch4142[1,]
```

Sch4243

1942-1943 Season Results

Description

Contains scores for every game of the 1942-1943 season of the NHL

Usage

```
data("Sch4243")
```

Format

A data frame with 165 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch4243)

## This command will show the results for the first game of the season.
Sch4243[1,]
```

Sch4344

1943-1944 Season Results

Description

Contains scores for every game of the 1943-1944 season of the NHL

Usage

```
data("Sch4344")
```

Format

A data frame with 164 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch4344)

## This command will show the results for the first game of the season.
Sch4344[1,]
```

Sch4445

1944-1945 Season Results

Description

Contains scores for every game of the 1944-1945 season of the NHL

Usage

```
data("Sch4445")
```

Format

A data frame with 170 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch4445)

## This command will show the results for the first game of the season.
Sch4445[1,]
```

Sch4546

1945-1946 Season Results

Description

Contains scores for every game of the 1945-1946 season of the NHL

Usage

```
data("Sch4546")
```

Format

A data frame with 164 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch4546)

## This command will show the results for the first game of the season.
Sch4546[1,]
```

Sch4647

1946-1947 Season Results

Description

Contains scores for every game of the 1946-1947 season of the NHL

Usage

```
data("Sch4647")
```

Format

A data frame with 196 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch4647)

## This command will show the results for the first game of the season.
Sch4647[1,]
```

Sch4748

1947-1948 Season Results

Description

Contains scores for every game of the 1947-1948 season of the NHL

Usage

```
data("Sch4748")
```


Format

A data frame with 195 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch4748)
```

```
## This command will show the results for the first game of the season.  
Sch4748[1,]
```

Sch4849

1948-1949 Season Results

Description

Contains scores for every game of the 1948-1949 season of the NHL

Usage

```
data("Sch4849")
```

Format

A data frame with 196 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch4849)
```

```
## This command will show the results for the first game of the season.  
Sch4849[1,]
```

Sch4950

1949-1950 Season Results

Description

Contains scores for every game of the 1949-1950 season of the NHL

Usage

```
data("Sch4950")
```

Format

A data frame with 229 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch4950)

## This command will show the results for the first game of the season.
Sch4950[1,]
```

Sch5051

1950-1951 Season Results

Description

Contains scores for every game of the 1950-1951 season of the NHL

Usage

```
data("Sch5051")
```

Format

A data frame with 227 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch5051)

## This command will show the results for the first game of the season.
Sch5051[1,]
```

Sch5152

1951-1952 Season Results

Description

Contains scores for every game of the 1951-1952 season of the NHL

Usage

```
data("Sch5152")
```

Format

A data frame with 225 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch5152)

## This command will show the results for the first game of the season.
Sch5152[1,]
```

Sch5253

1952-1953 Season Results

Description

Contains scores for every game of the 1952-1953 season of the NHL

Usage

```
data("Sch5253")
```

Format

A data frame with 228 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch5253)

## This command will show the results for the first game of the season.
Sch5253[1,]
```

Sch5354

1953-1954 Season Results

Description

Contains scores for every game of the 1953-1954 season of the NHL

Usage

```
data("Sch5354")
```

Format

A data frame with 226 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch5354)

## This command will show the results for the first game of the season.
Sch5354[1,]
```

Sch5455

1954-1955 Season Results

Description

Contains scores for every game of the 1954-1955 season of the NHL

Usage

```
data("Sch5455")
```

Format

A data frame with 226 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch5455)

## This command will show the results for the first game of the season.
Sch5455[1,]
```

Sch5556

1955-1956 Season Results

Description

Contains scores for every game of the 1955-1956 season of the NHL

Usage

```
data("Sch5556")
```


Format

A data frame with 225 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch5556)
```

```
## This command will show the results for the first game of the season.  
Sch5556[1,]
```

Sch5657

1956-1957 Season Results

Description

Contains scores for every game of the 1956-1957 season of the NHL

Usage

```
data("Sch5657")
```

Format

A data frame with 225 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch5657)

## This command will show the results for the first game of the season.
Sch5657[1,]
```

Sch5758

1957-1958 Season Results

Description

Contains scores for every game of the 1957-1958 season of the NHL

Usage

```
data("Sch5758")
```

Format

A data frame with 225 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch5758)

## This command will show the results for the first game of the season.
Sch5758[1,]
```

Sch5859

1958-1959 Season Results

Description

Contains scores for every game of the 1958-1959 season of the NHL

Usage

```
data("Sch5859")
```

Format

A data frame with 228 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch5859)

## This command will show the results for the first game of the season.
Sch5859[1,]
```

Sch5960

1959-1960 Season Results

Description

Contains scores for every game of the 1959-1960 season of the NHL

Usage

```
data("Sch5960")
```

Format

A data frame with 224 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch5960)

## This command will show the results for the first game of the season.
Sch5960[1,]
```

Sch6061

1960-1961 Season Results

Description

Contains scores for every game of the 1960-1961 season of the NHL

Usage

```
data("Sch6061")
```

Format

A data frame with 227 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch6061)

## This command will show the results for the first game of the season.
Sch6061[1,]
```

Sch6162

1961-1962 Season Results

Description

Contains scores for every game of the 1961-1962 season of the NHL

Usage

```
data("Sch6162")
```

Format

A data frame with 228 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch6162)

## This command will show the results for the first game of the season.
Sch6162[1,]
```

Sch6263

1962-1963 Season Results

Description

Contains scores for every game of the 1962-1963 season of the NHL

Usage

```
data("Sch6263")
```

Format

A data frame with 226 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch6263)

## This command will show the results for the first game of the season.
Sch6263[1,]
```

Sch6364

1963-1964 Season Results

Description

Contains scores for every game of the 1963-1964 season of the NHL

Usage

```
data("Sch6364")
```


Format

A data frame with 231 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch6364)
```

```
## This command will show the results for the first game of the season.  
Sch6364[1,]
```

Sch6465

1964-1965 Season Results

Description

Contains scores for every game of the 1964-1965 season of the NHL

Usage

```
data("Sch6465")
```

Format

A data frame with 230 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch6465)
```

```
## This command will show the results for the first game of the season.  
Sch6465[1,]
```

Sch6566

1965-1966 Season Results

Description

Contains scores for every game of the 1965-1966 season of the NHL

Usage

```
data("Sch6566")
```

Format

A data frame with 226 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch6566)

## This command will show the results for the first game of the season.
Sch6566[1,]
```

Sch6667

1966-1967 Season Results

Description

Contains scores for every game of the 1966-1967 season of the NHL

Usage

```
data("Sch6667")
```

Format

A data frame with 226 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch6667)

## This command will show the results for the first game of the season.
Sch6667[1,]
```

Sch6768

1967-1968 Season Results

Description

Contains scores for every game of the 1967-1968 season of the NHL

Usage

```
data("Sch6768")
```

Format

A data frame with 484 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch6768)
```

```
## This command will show the results for the first game of the season.  
Sch6768[1,]
```

Sch6869

1968-1969 Season Results

Description

Contains scores for every game of the 1968-1969 season of the NHL

Usage

```
data("Sch6869")
```

Format

A data frame with 489 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch6869)
```

```
## This command will show the results for the first game of the season.  
Sch6869[1,]
```

Sch6970

1969-1970 Season Results

Description

Contains scores for every game of the 1969-1970 season of the NHL

Usage

```
data("Sch6970")
```

Format

A data frame with 490 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch6970)

## This command will show the results for the first game of the season.
Sch6970[1,]
```

Sch7071

1970-1971 Season Results

Description

Contains scores for every game of the 1970-1971 season of the NHL

Usage

```
data("Sch7071")
```

Format

A data frame with 589 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch7071)

## This command will show the results for the first game of the season.
Sch7071[1,]
```

Sch7172

1971-1972 Season Results

Description

Contains scores for every game of the 1971-1972 season of the NHL

Usage

```
data("Sch7172")
```


Format

A data frame with 582 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch7172)

## This command will show the results for the first game of the season.
Sch7172[1,]
```

Sch7273

1972-1973 Season Results

Description

Contains scores for every game of the 1972-1973 season of the NHL

Usage

```
data("Sch7273")
```

Format

A data frame with 662 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch7273)

## This command will show the results for the first game of the season.
Sch7273[1,]
```

Sch7374

1973-1974 Season Results

Description

Contains scores for every game of the 1973-1974 season of the NHL

Usage

```
data("Sch7374")
```

Format

A data frame with 662 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch7374)
```

```
## This command will show the results for the first game of the season.  
Sch7374[1,]
```

Sch7475

1974-1975 Season Results

Description

Contains scores for every game of the 1974-1975 season of the NHL

Usage

```
data("Sch7475")
```

Format

A data frame with 771 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch7475)

## This command will show the results for the first game of the season.
Sch7475[1,]
```

Sch7576

1975-1976 Season Results

Description

Contains scores for every game of the 1975-1976 season of the NHL

Usage

```
data("Sch7576")
```

Format

A data frame with 768 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch7576)

## This command will show the results for the first game of the season.
Sch7576[1,]
```

Sch7677

1976-1977 Season Results

Description

Contains scores for every game of the 1976-1977 season of the NHL

Usage

```
data("Sch7677")
```

Format

A data frame with 764 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch7677)

## This command will show the results for the first game of the season.
Sch7677[1,]
```

Sch7778

1977-1978 Season Results

Description

Contains scores for every game of the 1977-1978 season of the NHL

Usage

```
data("Sch7778")
```

Format

A data frame with 765 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch7778)

## This command will show the results for the first game of the season.
Sch7778[1,]
```

Sch7879

1978-1979 Season Results

Description

Contains scores for every game of the 1978-1979 season of the NHL

Usage

```
data("Sch7879")
```

Format

A data frame with 725 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch7879)

## This command will show the results for the first game of the season.
Sch7879[1,]
```

Sch7980

1979-1980 Season Results

Description

Contains scores for every game of the 1979-1980 season of the NHL

Usage

```
data("Sch7980")
```


Format

A data frame with 907 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch7980)
```

```
## This command will show the results for the first game of the season.  
Sch7980[1,]
```

Sch8081

1980-1981 Season Results

Description

Contains scores for every game of the 1980-1981 season of the NHL

Usage

```
data("Sch8081")
```

Format

A data frame with 908 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch8081)

## This command will show the results for the first game of the season.
Sch8081[1,]
```

Sch8182

1981-1982 Season Results

Description

Contains scores for every game of the 1981-1982 season of the NHL

Usage

```
data("Sch8182")
```

Format

A data frame with 911 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch8182)

## This command will show the results for the first game of the season.
Sch8182[1,]
```

Sch8283

1982-1983 Season Results

Description

Contains scores for every game of the 1982-1983 season of the NHL

Usage

```
data("Sch8283")
```

Format

A data frame with 906 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch8283)

## This command will show the results for the first game of the season.
Sch8283[1,]
```

Sch8384

1983-1984 Season Results

Description

Contains scores for every game of the 1983-1984 season of the NHL

Usage

```
data("Sch8384")
```

Format

A data frame with 910 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch8384)

## This command will show the results for the first game of the season.
Sch8384[1,]
```

Sch8485

1984-1985 Season Results

Description

Contains scores for every game of the 1984-1985 season of the NHL

Usage

```
data("Sch8485")
```

Format

A data frame with 910 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch8485)

## This command will show the results for the first game of the season.
Sch8485[1,]
```

Sch8586

1985-1986 Season Results

Description

Contains scores for every game of the 1985-1986 season of the NHL

Usage

```
data("Sch8586")
```

Format

A data frame with 912 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch8586)
```

```
## This command will show the results for the first game of the season.  
Sch8586[1,]
```

Sch8687

1986-1987 Season Results

Description

Contains scores for every game of the 1986-1987 season of the NHL

Usage

```
data("Sch8687")
```

Format

A data frame with 927 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch8687)

## This command will show the results for the first game of the season.
Sch8687[1,]
```

Sch8788

1987-1988 Season Results

Description

Contains scores for every game of the 1987-1988 season of the NHL

Usage

```
data("Sch8788")
```


Format

A data frame with 924 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch8788)

## This command will show the results for the first game of the season.
Sch8788[1,]
```

Sch8889

1988-1989 Season Results

Description

Contains scores for every game of the 1988-1989 season of the NHL

Usage

```
data("Sch8889")
```

Format

A data frame with 922 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch8889)

## This command will show the results for the first game of the season.
Sch8889[1,]
```

Sch8990

1989-1990 Season Results

Description

Contains scores for every game of the 1989-1990 season of the NHL

Usage

```
data("Sch8990")
```

Format

A data frame with 925 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch8990)

## This command will show the results for the first game of the season.
Sch8990[1,]
```

Sch9091

1990-1991 Season Results

Description

Contains scores for every game of the 1990-1991 season of the NHL

Usage

```
data("Sch9091")
```

Format

A data frame with 932 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch9091)
```

```
## This command will show the results for the first game of the season.  
Sch9091[1,]
```

Sch9192

1991-1992 Season Results

Description

Contains scores for every game of the 1991-1992 season of the NHL

Usage

```
data("Sch9192")
```

Format

A data frame with 966 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch9192)

## This command will show the results for the first game of the season.
Sch9192[1,]
```

Sch9293

1992-1993 Season Results

Description

Contains scores for every game of the 1992-1993 season of the NHL

Usage

```
data("Sch9293")
```

Format

A data frame with 1093 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch9293)
```

```
## This command will show the results for the first game of the season.  
Sch9293[1,]
```

Sch9394

1993-1994 Season Results

Description

Contains scores for every game of the 1993-1994 season of the NHL

Usage

```
data("Sch9394")
```

Format

A data frame with 1182 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch9394)
```

```
## This command will show the results for the first game of the season.  
Sch9394[1,]
```

Sch9495

1994-1995 Season Results

Description

Contains scores for every game of the 1994-1995 season of the NHL

Usage

```
data("Sch9495")
```

Format

A data frame with 705 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch9495)

## This command will show the results for the first game of the season.
Sch9495[1,]
```

Sch9596

1995-1996 Season Results

Description

Contains scores for every game of the 1995-1996 season of the NHL

Usage

```
data("Sch9596")
```


Format

A data frame with 1152 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch9596)
```

```
## This command will show the results for the first game of the season.  
Sch9596[1,]
```

Sch9697

1996-1997 Season Results

Description

Contains scores for every game of the 1996-1997 season of the NHL

Usage

```
data("Sch9697")
```

Format

A data frame with 1148 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch9697)
```

```
## This command will show the results for the first game of the season.  
Sch9697[1,]
```

Sch9798

1997-1998 Season Results

Description

Contains scores for every game of the 1997-1998 season of the NHL

Usage

```
data("Sch9798")
```

Format

A data frame with 1148 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch9798)
```

```
## This command will show the results for the first game of the season.  
Sch9798[1,]
```

Sch9899

1998-1999 Season Results

Description

Contains scores for every game of the 1998-1999 season of the NHL

Usage

```
data("Sch9899")
```

Format

A data frame with 1193 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch9899)
```

```
## This command will show the results for the first game of the season.  
Sch9899[1,]
```

Sch9900

1999-2000 Season Results

Description

Contains scores for every game of the 1999-2000 season of the NHL

Usage

```
data("Sch9900")
```

Format

A data frame with 1231 observations on the following 9 variables.

Date The date the game was played

Home The name of the home team

Away The name of the away team

GF Goals for the home team

GA Goals against the home Team

GDH Goal differential from the home team's perspective: $GDH = GF - GA$

OT Indicates if the game went into Overtime

Tie Indicates if the game ended in a tie

Playoff Indicates if the game was a playoff game

Note

Team names refer to the latest name which the team has gone under. For example, the Toronto Maple Leafs were founded as the the Toronto Arenas for the 1917-1918 season, changed the name to the Toronto St. Patricks starting in the 1919-1920 season, and changed their name again going into the 1926-1927 season to the Toronto Maple Leafs. In this dataset, Toronto Maple Leafs refer to all three teams.

Source

www.hockey-reference.com

Examples

```
data(Sch9900)
```

```
## This command will show the results for the first game of the season.  
Sch9900[1,]
```

Index

* datasets

Sch0001, [3](#)
Sch0102, [4](#)
Sch0203, [5](#)
Sch0304, [6](#)
Sch0506, [7](#)
Sch0607, [8](#)
Sch0708, [9](#)
Sch0809, [10](#)
Sch0910, [11](#)
Sch1011, [12](#)
Sch1112, [13](#)
Sch1213, [14](#)
Sch1314, [15](#)
Sch1415, [16](#)
Sch1516, [17](#)
Sch1718, [18](#)
Sch1819, [19](#)
Sch1920, [20](#)
Sch2021, [21](#)
Sch2122, [22](#)
Sch2223, [23](#)
Sch2324, [24](#)
Sch2425, [25](#)
Sch2526, [26](#)
Sch2627, [27](#)
Sch2728, [28](#)
Sch2829, [29](#)
Sch2930, [30](#)
Sch3031, [31](#)
Sch3132, [32](#)
Sch3233, [33](#)
Sch3334, [34](#)
Sch3435, [35](#)
Sch3536, [36](#)
Sch3637, [37](#)
Sch3738, [38](#)
Sch3839, [39](#)
Sch3940, [40](#)

Sch4041, [41](#)
Sch4142, [42](#)
Sch4243, [43](#)
Sch4344, [44](#)
Sch4445, [45](#)
Sch4546, [46](#)
Sch4647, [47](#)
Sch4748, [48](#)
Sch4849, [49](#)
Sch4950, [50](#)
Sch5051, [51](#)
Sch5152, [52](#)
Sch5253, [53](#)
Sch5354, [54](#)
Sch5455, [55](#)
Sch5556, [56](#)
Sch5657, [57](#)
Sch5758, [58](#)
Sch5859, [59](#)
Sch5960, [60](#)
Sch6061, [61](#)
Sch6162, [62](#)
Sch6263, [63](#)
Sch6364, [64](#)
Sch6465, [65](#)
Sch6566, [66](#)
Sch6667, [67](#)
Sch6768, [68](#)
Sch6869, [69](#)
Sch6970, [70](#)
Sch7071, [71](#)
Sch7172, [72](#)
Sch7273, [73](#)
Sch7374, [74](#)
Sch7475, [75](#)
Sch7576, [76](#)
Sch7677, [77](#)
Sch7778, [78](#)
Sch7879, [79](#)

- Sch7980, 80
Sch8081, 81
Sch8182, 82
Sch8283, 83
Sch8384, 84
Sch8485, 85
Sch8586, 86
Sch8687, 87
Sch8788, 88
Sch8889, 89
Sch8990, 90
Sch9091, 91
Sch9192, 92
Sch9293, 93
Sch9394, 94
Sch9495, 95
Sch9596, 96
Sch9697, 97
Sch9798, 98
Sch9899, 99
Sch9900, 100
- Sch0001, 3
Sch0102, 4
Sch0203, 5
Sch0304, 6
Sch0506, 7
Sch0607, 8
Sch0708, 9
Sch0809, 10
Sch0910, 11
Sch1011, 12
Sch1112, 13
Sch1213, 14
Sch1314, 15
Sch1415, 16
Sch1516, 17
Sch1718, 18
Sch1819, 19
Sch1920, 20
Sch2021, 21
Sch2122, 22
Sch2223, 23
Sch2324, 24
Sch2425, 25
Sch2526, 26
Sch2627, 27
Sch2728, 28
Sch2829, 29
- Sch2930, 30
Sch3031, 31
Sch3132, 32
Sch3233, 33
Sch3334, 34
Sch3435, 35
Sch3536, 36
Sch3637, 37
Sch3738, 38
Sch3839, 39
Sch3940, 40
Sch4041, 41
Sch4142, 42
Sch4243, 43
Sch4344, 44
Sch4445, 45
Sch4546, 46
Sch4647, 47
Sch4748, 48
Sch4849, 49
Sch4950, 50
Sch5051, 51
Sch5152, 52
Sch5253, 53
Sch5354, 54
Sch5455, 55
Sch5556, 56
Sch5657, 57
Sch5758, 58
Sch5859, 59
Sch5960, 60
Sch6061, 61
Sch6162, 62
Sch6263, 63
Sch6364, 64
Sch6465, 65
Sch6566, 66
Sch6667, 67
Sch6768, 68
Sch6869, 69
Sch6970, 70
Sch7071, 71
Sch7172, 72
Sch7273, 73
Sch7374, 74
Sch7475, 75
Sch7576, 76
Sch7677, 77

Sch7778, 78
Sch7879, 79
Sch7980, 80
Sch8081, 81
Sch8182, 82
Sch8283, 83
Sch8384, 84
Sch8485, 85
Sch8586, 86
Sch8687, 87
Sch8788, 88
Sch8889, 89
Sch8990, 90
Sch9091, 91
Sch9192, 92
Sch9293, 93
Sch9394, 94
Sch9495, 95
Sch9596, 96
Sch9697, 97
Sch9798, 98
Sch9899, 99
Sch9900, 100