

Package ‘gDNAinRNAseqData’

July 4, 2024

Title RNA-seq data with different levels of gDNA contamination

Version 1.4.0

Description Provides access to BAM files generated from RNA-seq data produced with different levels of gDNA contamination. It currently allows one to download a subset of the data published by Li et al., BMC Genomics, 23:554, 2022. This subset of data is formed by BAM files with about 100,000 alignments with three different levels of gDNA contamination.

Depends R (>= 4.3)

Imports RCurl, XML, ExperimentHub, BiocGenerics, Rsamtools

Suggests BiocStyle, knitr, rmarkdown

VignetteBuilder knitr

License Artistic-2.0

NeedsCompilation no

Encoding UTF-8

biocViews ExperimentHub, ExperimentData, ExpressionData, SequencingData, RNASeqData, Homo_sapiens_Data

URL <https://github.com/functionalgenomics/gDNAinRNAseqData>

BugReports <https://github.com/functionalgenomics/gDNAinRNAseqData>

RoxygenNote 7.2.3

git_url <https://git.bioconductor.org/packages/gDNAinRNAseqData>

git_branch RELEASE_3_19

git_last_commit 5d45f06

git_last_commit_date 2024-04-30

Repository Bioconductor 3.19

Date/Publication 2024-07-04

Author Robert Castelo [aut, cre] (<<https://orcid.org/0000-0003-2229-4508>>)

Maintainer Robert Castelo <robert.castelo@upf.edu>

Contents

gDNAinRNAseqData-package	2
------------------------------------	---

Index	4
--------------	----------

gDNAinRNAseqData-package

RNA-seq data with different levels of gDNA contamination

Description

This package provides access to RNA-seq BAM files containing different levels of genomic DNA (gDNA) contamination.

Usage

```
LiYu22subsetBAMfiles(path = tempdir(), offline = FALSE)
```

```
LiYu22phenoData(bamfiles)
```

Arguments

<code>path</code>	(Default='tempdir()') Filesystem path where to store the BAM files.
<code>offline</code>	(Default='FALSE') If there is no internet connection, but the data has been previously downloaded, setting 'offline=TRUE' allows one to retrieve the data from the ExperimentHub cache.
<code>bamfiles</code>	full filesystem paths to where the BAM files were downloaded with 'LiYu22subsetBAMfiles()'.

Details

Currently, this package allows one to download a subset of the data published in:

Li, X., Zhang, P., and Yu. Y. Gene expressed at low levels raise false discovery rates in RNA samples contaminated with genomic DNA. *BMC Genomics*, 23:554, 2022.

The subset of the data accessible through this package corresponds to BAM files containing about 100,000 alignments sampled uniformly at random for the RNA-seq experiments produced from total RNA libraries mixed with different concentrations of gDNA, concretely 0% (no contamination), 1% and 10%; see Fig. 2 from Li et al. (2022).

Value

'LiYu22subsetBAMfiles()' returns a string character vector of filesystem paths to the downloaded BAM files.

'LiYu22phenoData()' returns a 'data.frame' object with the gDNA contamination levels for the BAM files specified in the 'bamfiles' parameter, according to the publication by Li et al. (2022).

Functions

- `LiYu22subsetBAMfiles()`: downloads the BAM files from the RNA-seq data through the ExperimentHub, and returns the path in the filesystem where the BAM files are stored.
- `LiYu22phenoData()`: retrieves phenotypic data from the BAM files downloaded with '`LiYu22subsetBAMfiles()`'.

References

Li, X., Zhang, P., and Yu. Y. Gene expressed at low levels raise false discovery rates in RNA samples contaminated with genomic DNA. *BMC Genomics*, 23:554, 2022.

Examples

```
## for LiYu2subsetBAMfiles()
bamfiles <- LiYu22subsetBAMfiles()
bamfiles
```

```
## for LiYu22phenoData()
bamfiles <- LiYu22subsetBAMfiles()
LiYu22phenoData(bamfiles)
```

Index

* **package**

gDNAinRNAseqData-package, [2](#)

gDNAinRNAseqData

(gDNAinRNAseqData-package), [2](#)

gDNAinRNAseqData-package, [2](#)

LiYu22phenoData

(gDNAinRNAseqData-package), [2](#)

LiYu22subsetBAMfiles

(gDNAinRNAseqData-package), [2](#)