

Package ‘BitSeq’

October 12, 2016

Type Package

Depends Rsamtools, zlibbioc

Imports S4Vectors, IRanges

LinkingTo Rsamtools (>= 1.19.38), zlibbioc

Suggests edgeR, DESeq, BiocStyle

Title Transcript expression inference and differential expression analysis for RNA-seq data

Version 1.16.0

Date 2014-10-03

Author Peter Glaus, Antti Honkela and Magnus Rattray

Maintainer Antti Honkela <antti.honkela@hiit.fi>, Panagiotis Papastamoulis <panagiotis.papastamoulis@manchester.ac.uk>

Description The BitSeq package is targeted for transcript expression analysis and differential expression analysis of RNA-seq data in two stage process. In the first stage it uses Bayesian inference methodology to infer expression of individual transcripts from individual RNA-seq experiments. The second stage of BitSeq embraces the differential expression analysis of transcript expression. Providing expression estimates from replicates of multiple conditions, Log-Normal model of the estimates is used for inferring the condition mean transcript expression and ranking the transcripts based on the likelihood of differential expression.

License Artistic-2.0 + file LICENSE

biocViews GeneExpression, DifferentialExpression, Sequencing, RNASeq, Bayesian, AlternativeSplicing, DifferentialSplicing, Transcription

NeedsCompilation yes

R topics documented:

BitSeq-package	2
estimateDE	3
estimateExpression	5
estimateHyperPar	8
estimateVbExpression	9
getDE	11
getExpression	12
getGeneExpression	13
getMeanVariance	15
loadSamples	16
parseAlignment	17
transcriptInfo	19
transcriptInfoFile	20
Index	22

BitSeq-package	<i>Bayesian Inference of Transcripts from Sequencing data</i>
----------------	---

Description

The BitSeq package is targeted for transcript expression analysis and differential expression analysis of RNA-seq data in two stage process.

In the first stage it uses Bayesian inference methodology to infer expression of individual transcripts from individual RNA-seq experiments.

The second stage of BitSeq embraces the differential expression analysis of transcript expression. Providing expression estimates from replicates of multiple conditions, Log-Normal model of the estimates is used for inferring the condition mean transcript expression and ranking the transcripts based on the likelihood of differential expression.

Author(s)

Peter Glaus, Antti Honkela and Magnus Rattray Maintainer: Peter Glaus <glaus@cs.man.ac.uk>

References

Glaus, P., Honkela, A. and Rattray, M. (2012). Identifying differentially expressed transcripts from RNA-seq data with biological variation. *Bioinformatics*, 28(13), 1721-1728.

Examples

```
## Not run:
## basic use
res1 <- getExpression("data-c0b0.sam", "ensSelect1.fasta")
res2 <- getExpression("data-c0b1.sam", "ensSelect1.fasta")
res3 <- getExpression("data-c1b0.sam", "ensSelect1.fasta")
```

```

res4 <- getExpression("data-c1b1.sam", "ensSelect1.fasta")

deRes <- getDE( list(c(res1$fn, res2$fn),
                    c(res3$fn, res4$fn)) )
## top 10 differentially expressed
head(deRes$pplr[ order(abs(0.5-deRes$pplr$pplr), decreasing=TRUE ), ], 10)

## advanced use, keeping the intermediate files
parseAlignment( "data-c0b0.sam",
  outFile = "data-c0b0.prob",
  trSeqFile = "ensSelect1.fasta",
  trInfoFile = "data.tr",
  uniform = TRUE,
  verbose = TRUE )

estimateExpression( "data-c0b0.prob",
  outFile = "data-c0b0",
  outputType = "RPKM",
  trInfoFile = "data.tr",
  MCMC_burnIn = 200,
  MCMC_samplesN = 200,
  MCMC_samplesSave = 100,
  MCMC_scaleReduction = 1.1,
  MCMC_chainsN = 2 )

cond1Files = c("data-c0b0.rpkm", "data-c0b1.rpkm")
cond2Files = c("data-c1b1.rpkm", "data-c1b1.rpkm")
allConditions = list(cond1Files, cond2Files)

getMeanVariance( allConditions,
  outFile = "data.means",
  log = TRUE )

estimateHyperPar( allConditions,
  outFile = "data.par",
  meanFile = "data.means",
  verbose = TRUE )

estimateDE( allConditions,
  outFile = "data",
  parFile = "data.par" )

## End(Not run)

```

estimateDE

Estimate condition mean expression and calculate Probability of Positive Log Ratio(PPLR)

Description

Estimate condition mean expression for both experimental conditions using the expression estimates obtained by [estimateExpression](#)

Usage

```
estimateDE(conditions, outFile, parFile,
           lambda0=NULL, samples=NULL, confidencePerc=NULL,
           verbose=NULL, norm=NULL, seed=NULL, pretend=FALSE )
```

Arguments

conditions	List of vectors, each vector containing names of files containing the expression samples from a replicate (Can be both technical and biological replicates. However, in order to get good results biological replicates for each condition are essential).
outFile	Prefix for the output files.
parFile	File containing estimated hyperparameters.
samples	Produce samples of condition mean expression apart from PPLR and confidence.
confidencePerc	Percentage for confidence intervals. (Default is 95%)
verbose	Verbose output. Advanced options:
lambda0	Model parameter lambda_0.
norm	Vector of (multiplicative) normalization constants for library size normalization of expression samples. Number of constants has to match the number of expression samples files.
seed	Sets the initial random seed for repeatable experiments.
pretend	Do not execute, only print out command line calls for the C++ version of the program.

Details

This function takes as an input expression samples from biological replicates of two or more conditions and hyperparameters over precision distribution inferred by [estimateHyperPar](#). It uses pseudo-vectors of expression samples from all replicates to infer condition mean expression for each condition.

The condition mean expression samples are used for computation of the Probability of Positive Log Ratio (PPLR) as well as \log_2 fold change of expression with confidence intervals and average condition mean expression for each transcript. Optionally the function can produce also the samples of condition mean expression for each condition.

For more than one conditions, the comparison is done pairwise between all conditions ($CP = \frac{C*(C-1)}{2}$ pairs), reporting: CPxPPLR CPx(log2FC ciLow ciHigh) CxMeanExpr.

Value

.pplr	file containing the PPLR, mean log2 fold change with confidence intervals, mean condition mean expressions
.est	files containing samples of condition mean expressions for each condition - optional
.estVar	file containing samples of inferred variance of the first condition - optional

Author(s)

Peter Glaus

See Also

[estimateExpression](#), [estimateHyperPar](#)

Examples

```
## Not run:
cond1Files = c("data-c0b0.rpkm", "data-c0b1.rpkm")
cond2Files = c("data-c1b0.rpkm", "data-c1b1.rpkm")
estimateDE(conditions=list(cond1Files, cond2Files), outFile="data.pplr",
           parFile="data.par", norm=c(1.0, 0.999, 1.0017, 0.9998))

## End(Not run)
```

estimateExpression *Estimate expression of transcripts*

Description

Estimates the expression of transcripts using Markov chain Monte Carlo Algorithm

Usage

```
estimateExpression(probFile, outFile, parFile=NULL, outputType=NULL, gibbs=NULL,
                  trInfoFile=NULL, thetaActFile=NULL, MCMC_burnIn=NULL, MCMC_samplesN=NULL,
                  MCMC_samplesSave=NULL, MCMC_chainsN=NULL, MCMC_dirAlpha=NULL, seed=NULL,
                  verbose=NULL, procN=NULL, pretend=FALSE)
estimateExpressionLegacy(probFile, outFile, parFile=NULL, outputType=NULL,
                        gibbs=NULL, trInfoFile=NULL, thetaActFile=NULL, MCMC_burnIn=NULL,
                        MCMC_samplesN=NULL, MCMC_samplesSave=NULL, MCMC_samplesNmax=NULL,
                        MCMC_chainsN=NULL, MCMC_scaleReduction=NULL, MCMC_dirAlpha=NULL,
                        seed=NULL, verbose=NULL, pretend=FALSE)
```

Arguments

probFile	File with alignment probabilities produced by parseAlignment
outFile	Prefix for the output files.
outputType	Output type, possible values: theta, RPKM, counts, tau.
gibbs	Use regular Gibbs sampling instead of Collapsed Gibbs sampling.
parFile	File containing parameters for the sampler, which can be otherwise specified by [MCMC*] options. As the file is checked after every MCMC iteration, the parameters can be adjusted while running.
trInfoFile	File containing transcript information. (Necessary for RPKM)
MCMC_burnIn	Length of sampler's burn in period.
MCMC_samplesN	Initial number of samples produced. These are used either to estimate the number of necessary samples or to estimate possible scale reduction.
MCMC_samplesSave	Number of samples recorder at the end in total.
MCMC_chainsN	Number of parallel chains used. At least two chains will be used.
seed	Sets the initial random seed for repeatable experiments.
verbose	Verbose output.
procN	Maximum number of threads to be used. The program will not use more threads that there are MCMC chains. Advanced options:
thetaActFile	File for logging noise parameter thetaAct, which is only generated when regular Gibbs sampling is used.
MCMC_dirAlpha	Alpha parameter for the Dirichlet distribution.
pretend	Do not execute, only print out command line calls for the C++ version of the program.
MCMC_scaleReduction	(Only for estimateExpressionLegacy.) Target scale reduction, sampler finishes after this value is met.
MCMC_samplesNmax	(Only for estimateExpressionLegacy.) Maximum number of samples produced in one iteration. After producing samplesNmax samples sampler finishes.

Details

This function runs Collapse Gibbs algorithm to sample the MCMC samples of transcript expression. The input is the .prob file containing alignment probabilities which were produced by [parseAlignment](#). Other optional input is the transcript information file specified by trInfoFile and again produced by parseAlignment.

The estimateExpression function first runs burn-in phase and initial iterations to estimate the properties of the MCMC sampling. The initial samples are used to estimate the number of samples necessary for generating MCMC_samplesSave effective samples in the second, final, stage.

The estimateExpressionLegacy uses less efficient convergence checking via "scale reduction" estimation. After an iteration of generating MCMC_samplesN samples, it estimates possible scale

reduction of the marginal posterior variance. While the possible scale reduction is high, it doubles the MCMC_samplesN and starts new iteration. This process is repeated until desired value of MCMC_scaleReduction is met, or MCMC_samplesNmax samples are generated.

The sampling algorithm can be configured via parameters file parFile or by using the MCMC* options. The advantage of using the file (at least an existing blank text document) is that by changing the configuration values while running, the new values do get updated after every iteration.

Value

.thetaMeans file containing average relative expression of transcripts θ

Either one of sample files based on output type selected:

.rpkm for RPKM expression
 .counts for estimated read counts
 .theta for relative expression of fragments
 .tau for relative expression of transcripts

Author(s)

Peter Glaus

See Also

[parseAlignment](#)

Examples

```
## Not run:
estimateExpression( probFile="data.prob", outFile="data", outputType="RPKM",
  trInfoFile="data.tr", seed=47, verbose=TRUE)
estimateExpression( probFile="data-c0b0.prob", outFile="data-c0b0", outputType="RPKM",
  trInfoFile="data.tr", MCMC_burnIn=200, MCMC_samplesN=200, MCMC_samplesSave=100,
  MCMC_chainsN=2 , MCMC_dirAlpha=NULL )
estimateExpression( probFile="data.prob", outFile="data-G", gibbs=TRUE,
  parFile="parameters1.txt", outputType="counts", trInfoFile="data.tr")
estimateExpressionLegacy( probFile="data-c0b0.prob", outFile="data-c0b0", outputType="RPKM",
  trInfoFile="data.tr", MCMC_burnIn=200, MCMC_samplesN=200, MCMC_samplesSave=100,
  MCMC_samplesNmax=10000, MCMC_scaleReduction=1.2, MCMC_chainsN=2 , MCMC_dirAlpha=NULL )

## End(Not run)
```

estimateHyperPar	<i>Estimate hyperparameters for DE model using expression samples and joint mean expression</i>
------------------	---

Description

Estimate hyperparameters for the Differential Expression model using expression samples and produced smoothed values of the hyperparameters depending on joint mean expression.

Usage

```
estimateHyperPar( outFile, conditions=NULL, paramsInFile=NULL,
  meanFile=NULL, force=TRUE, exThreshold=NULL, lambda0=NULL,
  paramsAllFile=NULL, smoothOnly=NULL, lowess_f=NULL, lowess_steps=NULL,
  verbose=NULL, veryVerbose=NULL, norm=NULL, seed=NULL, pretend=FALSE )
```

Arguments

outFile	Name of the output file.
conditions	List of vectors, each vector containing names of files containing the expression samples from a replicate (Can be both technical and biological replicates. However, in order to get good results biological replicates for each condition are essential).
paramsInFile	File produced by previous run of the function using paramsAllFile flag.
meanFile	Name of the file containing joint mean and variance.
exThreshold	Threshold of lowest expression for which the estimation is done.
paramsAllFile	Name of the file to which to store all parameter values generated prior to lowess smoothing(good for later, more careful re-smoothing.)
smoothOnly	Input file contains previously sampled hyperparameters which should smoothed only.
verbose	Verbose output. Advanced options:
force	Force smoothing hyperparameters, otherwise program might not produce parameters file at the end.
lambda0	Model parameter lambda0.
lowess_f	Parameter F for lowess smoothing specifying amount of smoothing.
lowess_steps	Parameter Nsteps for lowess smoothing specifying number of iterations.
veryVerbose	More verbose output.
norm	Vector of (multiplicative) normalization constants for library size normalization of expression samples. Number of constants has to match the number of expression samples files.
seed	Sets the initial random seed for repeatable experiments.
pretend	Do not execute, only print out command line calls for the C++ version of the program.

Value

.par file containing the smoothed hyperparameters
 .ALLpar file containing all hyperparameter samples prior to smoothing - optional

Author(s)

Peter Glaus

See Also

[estimateDE](#)

Examples

```
## Not run:
cond1Files = c("data-c0b0.rpkm","data-c0b1.rpkm")
cond2Files = c("data-c1b0.rpkm","data-c1b1.rpkm")
estimateHyperPar( conditions=list(cond1Files, cond2Files), outFile="data.par",
  meanFile="data.means", verbose=TRUE)

estimateHyperPar( conditions=list(cond1Files, cond2Files), outFile="data.par",
  meanFile="data.means", paramsFile="data.ALLpar", force=FALSE)
estimateHyperPar( outFile="data.par", paramsInFile="data.ALLpar", smoothOnly=TRUE )

## End(Not run)
```

estimateVBExpression *Estimate expression of transcripts using VB*

Description

Estimates the expression of transcripts using Variational Bayes inference algorithm

Usage

```
estimateVBExpression (probFile, outFile, outputType=NULL, trInfoFile=NULL,
  seed=NULL, samples=NULL, optLimit=1e-5, optMethod="FR", procN=4,
  verbose=FALSE, veryVerbose=FALSE, pretend=FALSE)
```

Arguments

probFile File with alignment probabilities produced by parseAlignment
 outFile Prefix for the output files.
 outputType Output type, possible values: theta, RPKM, counts. This is only relevant when the samples option is used. Default: theta.
 trInfoFile File containing transcript information. (Necessary for RPKM output)
 seed Sets the initial random seed for repeatable experiments.

samples	Number of samples to be generated from the posterior distribution. Default: no samples are generated.
verbose	Verbose output.
veryVerbose	Very verbose output.
procN	Maximum number of threads to be used. The program will not use more threads than there are MCMC chains. Advanced options:
optLimit	The optimisation limit in terms of minimal gradient or change of bound.
optMethod	The optimisation method, use "FR", "HR", or "steepest".
pretend	Do not execute, only print out command line calls for the C++ version of the program.

Details

This function runs Variational Bayes algorithm to estimate the transcript expression. The input is the .prob file containing alignment probabilities which were produced by [parseAlignment](#). Other optional input is the transcript information file specified by `trInfoFile` and again produced by [parseAlignment](#).

It is much faster inference than MCMC which estimates mean expression equally well. However, the posterior is in form of Dirichlet distribution with underestimated variance. Use this method in cases when you are only interested in mean expression.

Value

`.m_alphas` file containing mean relative expression of transcripts θ and parameters of the Dirichlet distribution. Please note the first line in the file corresponds to the noise transcript.

If option `samples` is used, the program also generates samples based of the `outputType`, the default would be file with extension ".VBtheta".

Author(s)

Peter Glaus

See Also

[parseAlignment](#), [estimateExpression](#)

Examples

```
## Not run:
setwd(system.file("extdata",package="BitSeq"))
parseAlignment("data-c0b0.sam", outFile = "data-c0b0.prob", trSeqFile = "ensSelect1.fasta",
  trInfoFile = "data.tr", uniform = TRUE);

estimateVBExpression( probFile="data-c0b0.prob", outFile="data-c0b0-a", outputType="RPKM",
  samples=1000, trInfoFile="data.tr", seed=47, verbose=TRUE)
estimateVBExpression( probFile="data-c0b0.prob", outFile="data-c0b0-b", trInfoFile="data.tr")
estimateVBExpression( probFile="data-c0b0.prob", outFile="data-c0b0-c", trInfoFile="data.tr",
```

```

    optLimit=1e-6, optMethod = "HS", procN=12, veryVerbose=TRUE);

## End(Not run)

```

getDE

Estimate Probability of Positive Log Ratio

Description

Using expression samples, program estimates the probability of differential expression for each transcript.

Usage

```

getDE(conditions, outPrefix=NULL, samples=FALSE, trInfoFile=NULL,
      norm=NULL, seed=NULL, pretend=FALSE )

```

Arguments

conditions	List of vectors, each vector containing names of files containing the expression samples from a replicate (Can be both technical and biological replicates. However, in order to get good results biological replicates for each condition are essential).
outPrefix	Prefix for the output files. Otherwise program creates temporary files, which are only valid for current R session.
samples	Produce samples of condition mean expression apart from PPLR and confidence.
trInfoFile	Transcript information file providing the names of transcripts.
norm	Vector of (multiplicative) normalization constants for library size normalization of expression samples. Number of constants has to match the number of expression samples files.
seed	Sets the initial random seed for repeatable experiments.
pretend	Do not execute, only print out command line calls for the C++ version of the program.

Details

This function uses `estimateHyperPar` function to estimate the hyperparameters for DE model and the uses `estimateDE` function to infer the condition mean expression and calculate Probability of Positive Log Ratio.

Value

list with items:

pplr	DataFrame with PPLR and other statistics
fn	list with file names for PPLR file, <code>fn\$pplr</code> , and condition mean expression samples, <code>fn\$samplesFiles</code> (only with option <code>samples=TRUE</code>)

Author(s)

Peter Glaus

See Also[getExpression](#), [estimateHyperPar](#), [estimateDE](#)**Examples**

```
## Not run:
cond1Files = c("data-c0b0.rpkm", "data-c0b1.rpkm")
cond2Files = c("data-c1b0.rpkm", "data-c1b1.rpkm")
deRes <- getDE( conditions=list(cond1Files, cond2Files))
## top 10 DE transcripts
head(deRes$pplr[ order(abs(0.5-deRes$pplr$pplr), decreasing=TRUE ), ], 10)

## End(Not run)
```

getExpression	<i>Estimate transcript expression</i>
---------------	---------------------------------------

Description

Estimate expression of transcripts. Starting from alignment and reference files function handles the entire process of expression analysis resulting in transcript expression means and standard deviation together with file containing all the expression samples.

Usage

```
getExpression(alignFile, trSeqFile, outPrefix=NULL, uniform=TRUE, type="RPKM",
              log=FALSE, limitA=NULL, seed=NULL, pretend=FALSE, ... )
```

Arguments

alignFile	File containing read alignments.
trSeqFile	File containing transcript sequence in FASTA format.
outPrefix	Prefix for the output files. Otherwise program creates temporary files, which are only valid for current R session.
uniform	Use uniform read distribution.
type	Output type, possible values: theta, RPKM, counts, tau.
log	Report mean and expression of logged expression samples.
limitA	Limit maximum number of alignments per read. Reads with more alignments than limit will be discarded.
seed	Sets the initial random seed for repeatable experiments.
pretend	Do not execute, only print out command line calls for the C++ version of the program.
...	Other arguments are passed to estimateExpression , please see estimateExpression for more details

Details

This function uses `parseAlignment` function to compute alignment probabilities and the function `estimateExpression` to produce the expression samples.

In case of non-uniform read distribution, it first produces approximate estimates of expression using uniform read distribution with VB inference and subsequently uses these estimates to compute read distribution bias-corrected alignment probabilities, which are used in the `estimateExpression` function to produce expression estimates.

The order of transcripts in the results is always the same as in the alignment file. The transcripts can be identified by names stored in the `trInfo` part of the result.

Value

list with items:

<code>exp</code>	DataFrame with transcript expression mean and standard deviation
<code>fn</code>	name of the file containing all the expression samples
<code>counts</code>	vector of estimated read counts per transcript
<code>trInfo</code>	DataFrame with transcript information, contains: transcript name, possibly gene name, transcript length, and adjusted transcript length

Author(s)

Peter Glaus

See Also

[getDE](#), [estimateExpression](#), [parseAlignment](#)

Examples

```
## Not run:
res1 <- getExpression("data-c0b0.sam", "ensSelect1.fasta", MCMC_chains=2,
  MCMC_samplesN=100)

## End(Not run)
```

`getGeneExpression` *Calculate gene expression or relative within gene expression*

Description

Calculate either gene expression or relative within gene expression using transcript expression samples and transcript information file.

Usage

```

getGeneExpression(sampleFile, outFile=NULL, trInfo=NULL, trInfoFile=NULL,
  pretend=FALSE)
getWithinGeneExpression(sampleFile, outFile=NULL, trInfo=NULL, trInfoFile=NULL,
  pretend=FALSE, keepOrder=FALSE)

```

Arguments

sampleFile	File containing the transcript expression samples.
outFile	Name of the output file. If not used, function uses temporary file.
trInfo	DataFrame containing transcript information. Either trInfo or trInfoFile argument has to be provided. Otherwise function tries file with same name as sampleFile and extension tr.
trInfoFile	Transcript information file. Either trInfo or trInfoFile argument has to be provided. Otherwise function tries file with same name as sampleFile and extension tr.
pretend	Do not execute, only print out command line calls for the C++ version of the program.
keepOrder	If TRUE then transcripts will always keep same order, otherwise transcripts might be grouped by genes in the output. (The order is always same if transcripts are grouped by genes.)

Details

The `getGeneExpression` function takes samples of transcript expression and produces file with expression of genes by adding up transcript expression.

The `getWithinGeneExpression` function takes samples of transcript expression and produces file with relative within gene expression samples for each transcript.

Both function need valid transcript information which contains gene transcript mapping. This can be provided either via DataFrame `trInfo` or file named `trInfoFile`.

In case of a file, it should be formatted in following manner. The first line should contain "# M <numberOfTranscripts>" and the following `numberOfTranscripts` lines have to contain "<gene-Name> <transcriptName> <transcriptLength>". Example is provided in `extdata/ensSelect1.tr`. Please note that the transcript information file automatically generated from alignment files are not sufficient because SAM/BAM files do not include gene names. We hope to provide more convenient way in future versions of BitSeq.

Value

Name of file containing the new expression samples.

Author(s)

Peter Glaus

See Also

[getExpression](#), [tri.load](#), [tri.file.setGeneNames](#), [tri.file.hasGeneNames](#)

Examples

```
setwd(system.file("extdata",package="BitSeq"))
## use transcript information as object
trinfo <- tri.load("ensSelect1.tr")
## gene expression
getGeneExpression("data-c0b1.rpkm", "data-c0b1-GE.rpkm", trInfo=trinfo)
gExpSamples <- loadSamples("data-c0b1-GE.rpkm")
gExpMeans <- rowMeans(as.data.frame(gExpSamples))
gExpMeans

## within gene expression
wgeFN <- getWithinGeneExpression("data-c0b1.rpkm", trInfoFile="ensSelect1.tr")
wgExpSamples <- loadSamples(wgeFN)
wgExpMeans <- rowMeans(as.data.frame(wgExpSamples))
head(wgExpMeans)
```

getMeanVariance	<i>Calculate mean and variance of expression samples</i>
-----------------	--

Description

Calculate mean and variance of expression samples or log-expression samples

Usage

```
getMeanVariance(sampleFiles, outFile, log=NULL, type=NULL, verbose=NULL,
                norm=NULL, pretend=FALSE)
```

Arguments

sampleFiles	Vector of one or more files containing the expression samples.
outFile	Name of the output file.
log	Use logged values.
type	Type of variance, possible values: <code>sample</code> , <code>sqDif</code> for sample variance or squared difference.
verbose	Verbose output.
norm	Vector of (multiplicative) normalization constants for library size normalization of expression samples. Number of constants has to match the number of expression samples files.
pretend	Do not execute, only print out command line calls for the C++ version of the program.

Details

The `getMeanVariance` function computes means and variances of MCMC expression samples. These can be computed either from single file or from multiple files using sample variance. Variance of two experiments (i.e. technical or biological replicates) can be estimated also by using `sqDif` option for `type` which specify the computation of the average square distance between the samples from two sets.

Value

`.means` File containing means (first column) and variance (second column) for each transcript (or row in the sample files)

Author(s)

Peter Glaus

See Also

[estimateExpression](#)

Examples

```
setwd(system.file("extdata",package="BitSeq"));
sampleFileNames = c("data-c1b0.rpkm","data-c1b1.rpkm")
getMeanVariance(sampleFiles=sampleFileNames, outFile="data-c1.Lmean", log=1,
  norm=c(1.0017, 0.9998))
```

loadSamples

Loading and saving expression samples

Description

Functions for loading expression samples into DataFrame and saving samples from DataFrame into a file.

Usage

```
loadSamples(fileName, trInfoFile=NULL)
writeSamples(data, fileName)
```

Arguments

`fileName` Name of the file with samples or to which the samples are written.
`data` DataFrame with samples written to the file.
`trInfoFile` Transcript information file which can be used to name the rows.

Details

The `loadSamples` function load samples from the specified file into a `DataFrame`. If the transcript information file is provided, the transcript names are use as row names.

The `writeSamples` function can save samples from a `DataFrame` into a file in format which is valid for BitSeq and can be used in other functions.

Value

`DataFrame` Containing the expression samples

Author(s)

Peter Glaus

See Also

[estimateExpression](#)

Examples

```
## Not run:
samples1<-loadSamples("data-c0b1.rpkm")
writeSamples(samples1,"new-c0b1.rpkm")

## End(Not run)
```

parseAlignment *Compute probabilities of alignments*

Description

Compute probability of alignments and save them into *.prob* file.

Usage

```
parseAlignment( alignFile, outFile, trSeqFile, inputFormat=NULL, trInfoFile=NULL,
  expressionFile=NULL, readsN=NULL, uniform=TRUE, limitA=NULL, lenMu=NULL,
  lenSigma=NULL, excludeSingletons=NULL, mateNamesDiffer=NULL,
  verbose=NULL, veryVerbose=NULL, procN=NULL, pretend=FALSE)
```

Arguments

<code>alignFile</code>	File containing read alignments.
<code>outFile</code>	Name of the output file.
<code>inputFormat</code>	Input format: possible values SAM, BAM. (This should be detected automatically in most cases.)
<code>trInfoFile</code>	File to save transcript information extracted from [BS]AM file and reference.

trSeqFile	File containing transcript sequence in FASTA format.
expressionFile	Transcript relative expression estimates — for better non-uniform read distribution estimation.
readsN	Total number of reads. This is usually not necessary if SAM/BAM contains also reads with no valid alignments.
uniform	Use uniform read distribution.
limitA	Limit maximum number of alignments per read. Reads with more alignments than limit will be discarded.
lenMu	Set mean of log fragment length distribution. $l_{frag} \sim \text{LogNormal}(\mu, \sigma^2)$
lenSigma	Set σ^2 (or variance) of log fragment length distribution. $l_{frag} \sim \text{LogNormal}(\mu, \sigma^2)$
excludeSingletons	Exclude single mate alignments for paired-end reads.
mateNamesDiffer	Mates from paired-end reads have different names.
verbose	Verbose output.
veryVerbose	Very verbose output.
procN	Maximum number of threads to be used.
pretend	Do not execute, only print out command line calls for the C++ version of the program.

Details

This function uses the alignments and reference file to assign probability to each alignment. It uses either bias-corrected or uniform model for the read distribution, assumes Log-Normal distribution of fragment lengths for pair-end read data and uses quality scores and mismatches to assign probability for every alignment of a read (or fragment) to a transcript.

Value

.prob	file containing the alignment probabilities
.tr	file containing reference transcript names, lengths and effective lengths - optional

Author(s)

Peter Glaus

See Also

[estimateExpression](#)

Examples

```
## Not run:
parseAlignment(alignFile="data.sam", outFile="data.prob",
               trSeqFile="trReference.fa" ,trInfoFile="data.tr")

## End(Not run)
```

transcriptInfo	<i>Manage information about transcript reference</i>
----------------	--

Description

Manage information about the transcript reference. These functions are used for reading, saving and updating transcript information DataFrame.

Usage

```
tri.load(trInfoFile)
tri.save(trInfo, trInfoFile)
tri.hasGeneNames(trInfo)
tri.setGeneNames(trInfo, geneNames, transcriptNames=NULL)
```

Arguments

trInfoFile	Name of the file containing transcript information or the where the information should be stored.
trInfo	DataFrame containing the transcript information.
geneNames	Vector with new gene names that should be assigned to transcripts.
transcriptNames	Names of transcripts that should be associated with the gene names.

Details

If not provided with the information, BitSeq extracts information about the transcript reference from the alignment and sequence files. This information is stored in so called transcript information(trInfo) file, usually having extension `.tr`. This file contains columns with gene names (if available), transcript names, transcript lengths and optionally with adjusted lengths of transcripts. The expression of transcripts is reported in the same order as are the transcripts ordered in the trInfo file, hence it serves as identification of final results.

Other important use of trInfo file is for calculating gene expression or within gene expression, where the file is used for determining which transcripts belong to which genes. However, for this the gene names have to be properly set in the transcript info, which is not always the case.

Function `tri.load` loads transcript information from a file provided by argument `trInfoFile` into a DataFrame.

Function `tri.save` saves transcript information from a DataFrame provided by `trInfo` argument into a file name provided by argument `trInfoFile`.

Function `tri.hasGeneNames` determines whether gene names are properly set in the transcript information and returns TRUE or FALSE and a warning message identifying the problem.

Function `tri.setGeneNames` changes gene names of a transcript information `trInfo` and retruns new DataFrame with updated values. The vector `geneNames` should provide gene names of transcripts and be of the same length as is the number of transcripts. The gene names have to be either

ordered as their appropriate transcripts in `trInfo` object, or if ordered differently, vector of transcript names, ordered as gene names has to be provided by argument `transcriptNames`. The names in `transcriptNames` have to correspond to the transcript names in `trInfo` object.

Value

Function `tri.load` returns `DataFrame` with transcript information.

Function `tri.hasGeneNames` returns boolean value.

Function `tri.setGeneNames` returns `DataFrame` with transcript information containing updated gene names (Note: the transcript names do not change.).

Author(s)

Peter Glaus

See Also

[getExpression](#), [getGeneExpression](#), [tri.file.setGeneNames](#)

Examples

```
setwd(system.file("extdata", package="BitSeq"))
trinfo <- tri.load("ensSelect1.tr")
trinfo[1:10,]
## this should be true
tri.hasGeneNames(trinfo)
## reverse the gene order - this will make the information INCORRECT
rev.trinfo <- tri.setGeneNames(trinfo, rev(trinfo[,1]))
rev.trinfo[1:10,]
tri.save(rev.trinfo, "reversed-ensSelect1.tr")
```

`transcriptInfoFile` *Manage file containing information about transcript reference*

Description

Manage file containing information about the transcript reference. These functions are used for verifying and updating transcript information `DataFrame`.

Usage

```
tri.file.hasGeneNames(trInfoFile)
tri.file.setGeneNames(trInfoFile, geneNames, transcriptNames=NULL)
```

Arguments

<code>trInfoFile</code>	Name of the file containing transcript information or the where the information should be stored.
<code>geneNames</code>	Vector with new gene names that should be assigned to transcripts.
<code>transcriptNames</code>	Names of transcripts that should be associated with the gene names.

Details

If not provided with the information, `BitSeq` extracts information about the transcript reference from the alignment and sequence files. This information is stored in so called transcript information (`trInfo`) file, usually having extension `.tr`. This file contains columns with gene names (if available), transcript names, transcript lengths and optionally with adjusted lengths of transcripts. Important use of `trInfo` file is for calculating gene expression or within gene expression, where the file is used for determining which transcripts belong to which genes. However, for this the gene names have to be properly set in the transcript info, which is not always the case.

Function `tri.file.hasGeneNames` determines whether gene names are properly set in the transcript information file and returns `TRUE` or `FALSE` and a warning message identifying the problem.

Function `tri.file.setGeneNames` updates the gene names of a transcript information in file provided by argument `trInfoFile`. The vector `geneNames` should provide gene names of transcripts and be of the same length as is the number of transcripts. The gene names have to be either ordered as their appropriate transcripts in `trInfoFile` file, or if ordered differently, vector of transcript names, ordered as gene names has to be provided by argument `transcriptNames`. The names in `transcriptNames` have to correspond to the transcript names in actual file.

Value

Function `tri.file.hasGeneNames` returns boolean value.

Author(s)

Peter Glaus

See Also

[getExpression](#), [getGeneExpression](#), [tri.load](#), [tri.save](#)

Examples

```
setwd(system.file("extdata", package="BitSeq"))
## this should be true
tri.file.hasGeneNames("ensSelect1.tr")
```

Index

- *Topic **differential expression**
 - estimateDE, [3](#)
 - estimateHyperPar, [8](#)
 - getDE, [11](#)
 - *Topic **expression mean**
 - getMeanVariance, [15](#)
 - *Topic **gene expression**
 - getGeneExpression, [13](#)
 - *Topic **package**
 - BitSeq-package, [2](#)
 - *Topic **transcript expression**
 - estimateExpression, [5](#)
 - estimateVBExpression, [9](#)
 - getExpression, [12](#)
 - loadSamples, [16](#)
 - parseAlignment, [17](#)
 - *Topic **transcript information**
 - transcriptInfo, [19](#)
 - transcriptInfoFile, [20](#)
- BitSeq (BitSeq-package), [2](#)
- BitSeq-package, [2](#)
- estimateDE, [3](#), [9](#), [12](#)
- estimateExpression, [4](#), [5](#), [5](#), [10](#), [12](#), [13](#),
[16–18](#)
- estimateExpressionLegacy
(estimateExpression), [5](#)
- estimateHyperPar, [4](#), [5](#), [8](#), [12](#)
- estimateVBExpression, [9](#)
- getDE, [11](#), [13](#)
- getExpression, [12](#), [12](#), [15](#), [20](#), [21](#)
- getGeneExpression, [13](#), [20](#), [21](#)
- getMeanVariance, [15](#)
- getWithinGeneExpression
(getGeneExpression), [13](#)
- loadSamples, [16](#)
- parseAlignment, [6](#), [7](#), [10](#), [13](#), [17](#)
- transcriptInfo, [19](#)
- transcriptInfoFile, [20](#)
- tri.file.hasGeneNames, [15](#)
- tri.file.hasGeneNames
(transcriptInfoFile), [20](#)
- tri.file.setGeneNames, [15](#), [20](#)
- tri.file.setGeneNames
(transcriptInfoFile), [20](#)
- tri.hasGeneNames (transcriptInfo), [19](#)
- tri.load, [15](#), [21](#)
- tri.load (transcriptInfo), [19](#)
- tri.save, [21](#)
- tri.save (transcriptInfo), [19](#)
- tri.setGeneNames (transcriptInfo), [19](#)
- writeSamples (loadSamples), [16](#)