

Using the **SRADB** Package to Query the Sequence Read Archive

Jack Zhu* and Sean Davis†

Genetics Branch, Center for Cancer Research,
National Cancer Institute,
National Institutes of Health

October 18, 2016

1 Introduction

High throughput sequencing technologies have very rapidly become standard tools in biology. The data that these machines generate are large, extremely rich. As such, the Sequence Read Archives (SRA) have been set up at NCBI in the United States, EMBL in Europe, and DDBJ in Japan to capture these data in public repositories in much the same spirit as MIAME-compliant microarray databases like NCBI GEO and EBI ArrayExpress.

Accessing data in SRA requires finding it first. This R package provides a convenient and powerful framework to do just that. In addition, **SRADB** features functionality to determine availability of sequence files and to download files of interest.

SRA currently store aligned reads or other processed data that relies on alignment to a reference genome. Please refer to the SRA handbook (<http://www.ncbi.nlm.nih.gov/books/NBK47537/>) for details. NCBI GEO also often contain aligned reads for sequencing experiments and the **SRADB** package can help to provide links to these data as well. In combination with the **GEOmetadb** and **GEOquery** packages, these data are also, then, accessible.

2 Getting Started

Since SRA is a continuously growing repository, the **SRADB** SQLite file is updated regularly. The first step, then, is to get the **SRADB** SQLite file from the online location. The download and uncompress steps are done automatically with a single command, `getSRADBFile`.

*zhujack@mail.nih.gov

†sdavis2@mail.nih.gov




Figure 1: A graphical representation (sometimes called an *Entity-Relationship Diagram*) of the relationships between the main tables in the SRAdb package.

```

> library(SRAdb)
> sqlfile <- 'SRAmetadb.sqlite'
> if(!file.exists('SRAmetadb.sqlite')) sqlfile <- getSRADBFile()

```

The default storage location is in the current working directory and the default filename is “SRAmetadb.sqlite”; it is best to leave the name unchanged unless there is a pressing reason to change it. Note: the above downloading and uncompressing steps could take quite a few moments due to file size, depending on your network bandwidth. If interested, it can be timed using the following commands:

```

> timeStart <- proc.time()
> sqlfile <- getSRADBFile()
> proc.time() - timeStart

```

Since this SQLite file is of key importance in SRAdb, it is perhaps of some interest to know some details about the file itself.

```

> file.info('SRAmetadb.sqlite')

```

	size	isdir	mode	mtime	ctime	atime	uid	gid	uname	grname
SRAmetadb.sqlite	24576155648	FALSE	644	2016-10-18 18:44:46	2016-10-18 18:44:46	2016-10-18 18:44:46	1004	1004	biocbuild	biocbuild

Then, create a connection for later queries. The standard DBI functionality as implemented in RSQLite function `dbConnect` makes the connection to the database. The `dbDisconnect` function disconnects the connection.

```

> sra_con <- dbConnect(SQLite(),sqlfile)

```

For further details, at this time see `help('SRAdb-package')`.

3 Using the SRAdb package

3.1 Interacting with the database

The functionality covered in this section is covered in much more detail in the DBI and RSQLite package documentation. We cover enough here only to be useful. The `dbListTables` function lists all the tables in the SQLite database handled by the connection object `sra_con` created in the previous section. A simplified illustration of the relationship between the SRA main data types is shown in the Figure 1.

```

> sra_tables <- dbListTables(sra_con)
> sra_tables

[1] "col_desc"          "experiment"
[3] "fastq"            "metaInfo"
[5] "run"              "sample"
[7] "sra"              "sra_ft"
[9] "sra_ft_content"   "sra_ft_segdir"
[11] "sra_ft_segments" "study"
[13] "submission"

```

There is also the `dbListFields` function that can list database fields associated with a table.

```

> dbListFields(sra_con, "study")

[1] "study_ID"          "study_alias"
[3] "study_accession"   "study_title"
[5] "study_type"        "study_abstract"
[7] "broker_name"       "center_name"
[9] "center_project_name" "study_description"
[11] "related_studies"   "primary_study"
[13] "sra_link"          "study_url_link"
[15] "xref_link"         "study_entrez_link"
[17] "ddbj_link"         "ena_link"
[19] "study_attribute"   "submission_accession"
[21] "sradb_updated"

```

Sometimes it is useful to get the actual SQL schema associated with a table. Here, we get the table schema for the `study` table:

```

> dbGetQuery(sra_con, 'PRAGMA TABLE_INFO(study)')

  cid      name type notnull
1    0      study_ID REAL      0
2    1      study_alias TEXT     0
3    2      study_accession TEXT    0
4    3      study_title TEXT     0
5    4      study_type TEXT     0
6    5      study_abstract TEXT    0
7    6      broker_name TEXT     0
8    7      center_name TEXT     0
9    8      center_project_name TEXT   0
10   9      study_description TEXT   0

```

11	10	related_studies	TEXT	0
12	11	primary_study	TEXT	0
13	12	sra_link	TEXT	0
14	13	study_url_link	TEXT	0
15	14	xref_link	TEXT	0
16	15	study_entrez_link	TEXT	0
17	16	ddbj_link	TEXT	0
18	17	ena_link	TEXT	0
19	18	study_attribute	TEXT	0
20	19	submission_accession	TEXT	0
21	20	sradb_updated	TEXT	0
		dflt_value	pk	
1		<NA>	0	
2		<NA>	0	
3		<NA>	0	
4		<NA>	0	
5		<NA>	0	
6		<NA>	0	
7		<NA>	0	
8		<NA>	0	
9		<NA>	0	
10		<NA>	0	
11		<NA>	0	
12		<NA>	0	
13		<NA>	0	
14		<NA>	0	
15		<NA>	0	
16		<NA>	0	
17		<NA>	0	
18		<NA>	0	
19		<NA>	0	
20		<NA>	0	
21		<NA>	0	

The table "col_desc" contains information of filed name, type, description and default values:

```
> colDesc <- colDescriptions(sra_con=sra_con)[1:5,]
> colDesc[, 1:4]
```

col_desc_ID	table_name	field_name
1	1 submission	ID
2	2 submission	accession
3	3 submission	alias

```

4         4 submission submission_comment
5         5 submission                files
      type
1         int
2 varchar
3 varchar
4         text
5         text

```

3.2 Writing SQL queries and getting results

Select 3 records from the *study* table and show the first 5 columns:

```

> rs <- dbGetQuery(sra_con,"select * from study limit 3")
> rs[, 1:3]

```

```

      study_ID study_alias study_accession
1           1   DRP000001   DRP000001
2           2   DRP000002   DRP000002
3           3   DRP000003   DRP000003

```

Get the SRA study accessions and titles from SRA study that *study_type* contains “Transcriptome”. The “%” sign is used in combination with the “like” operator to do a “wildcard” search for the term “Transcriptome” with any number of characters after it.

```

> rs <- dbGetQuery(sra_con, paste( "select study_accession,
+   study_title from study where",
+   "study_description like 'Transcriptome%'",sep=" "))
> rs[1:3,]

```

```

      study_accession
1           DRP002494
2           DRP002820
3           DRP002612
                                study_title
1           Allium fistulosum transcriptome sequencing
2 Transcriptome sequence of planarian Dugesia japonica
3           Bursaphelenchus xylophilus transcriptome

```

Of course, we can combine programming and data access. A simple `sapply` example shows how to query each of the tables for number of records.

```

> getTableCounts <- function(tableName,conn) {
+   sql <- sprintf("select count(*) from %s",tableName)

```

```

+   return(dbGetQuery(conn,sql)[1,1])
+ }
> do.call(rbind,sapply(sra_tables[c(2,4,5,11,12)],
+   getTableCounts, sra_con, simplify=FALSE))

```

```

      [,1]
experiment    2241985
metaInfo      2
run           2541380
sra_ft_segments 470932
study         84193

```

Get some high-level statistics could be to helpful to get overall idea about what data are available in the SRA database. List all study types and number of studies contained for each of the type:

```

> rs <- dbGetQuery(sra_con, paste( "SELECT study_type AS StudyType,
+   count( * ) AS Number FROM `study` GROUP BY study_type order
+   by Number DESC ", sep=""))
> rs

```

```

      StudyType Number
1  Whole Genome Sequencing 37185
2                Other    24240
3  Transcriptome Analysis  11192
4      Metagenomics     8169
5                <NA>    1591
6  Population Genomics    763
7      Epigenetics       637
8      Exome Sequencing   191
9      Cancer Genomics    181
10 Pooled Clone Sequencing  33
11   Synthetic Genomics    9
12 Transcriptome Sequencing  1
13 Whole Genome Sequencing  1

```

List all Instrument Models and number of experiments for each of the Instrument Models:

```

> rs <- dbGetQuery(sra_con, paste( "SELECT instrument_model AS
+   'Instrument Model', count( * ) AS Experiments FROM `experiment`
+   GROUP BY instrument_model order by Experiments DESC", sep=""))
> rs

```

	Instrument Model
1	Illumina HiSeq 2000
2	Illumina MiSeq
3	Illumina HiSeq 2500
4	454 GS FLX Titanium
5	Illumina Genome Analyzer II
6	Illumina Genome Analyzer IIX
7	454 GS FLX
8	HiSeq X Ten
9	unspecified
10	NextSeq 500
11	Ion Torrent PGM
12	454 GS Junior
13	Illumina Genome Analyzer
14	454 GS FLX+
15	Illumina HiSeq 1000
16	AB SOLiD 4 System
17	<NA>
18	PacBio RS
19	PacBio RS II
20	454 GS
21	Illumina HiSeq 1500
22	AB 5500xl Genetic Analyzer
23	Helicos HeliScope
24	Complete Genomics
25	Ion Torrent Proton
26	AB SOLiD System 3.0
27	Illumina HiScanSQ
28	AB 5500 Genetic Analyzer
29	NextSeq 550
30	Illumina HiSeq 4000
31	454 GS 20
32	Illumina HiSeq 3000
33	AB 3730xL Genetic Analyzer
34	MinION
35	AB SOLiD System 2.0
36	AB SOLiD System
37	AB SOLiD 3 Plus System
38	AB SOLiD 4hq System
39	AB 5500xl-W Genetic Analysis System
40	AB 3130 Genetic Analyzer
41	AB 3130xL Genetic Analyzer

42 AB 3730 Genetic Analyzer
43 454 GS FLX
44 AB 3500xL Genetic Analyzer
45 HiSeq X Five
46 AB SOLiD PI System
47 Illumina Genome Analyzer IIX
48 AB 310 Genetic Analyzer
49 AB 3500 Genetic Analyzer
50 Illumina MiSeq

Experiments

1 1091078
2 312748
3 258959
4 130286
5 97065
6 54796
7 44815
8 36248
9 31593
10 25692
11 20007
12 19998
13 18070
14 11585
15 11198
16 10445
17 9715
18 8957
19 8249
20 6939
21 4191
22 4077
23 3844
24 3479
25 2593
26 2514
27 2386
28 1928
29 1898
30 1798
31 979
32 954

33	759
34	493
35	459
36	439
37	277
38	152
39	128
40	101
41	33
42	27
43	10
44	9
45	6
46	3
47	2
48	1
49	1
50	1

List all types of library strategies and number of runs for each of them:

```
> rs <- dbGetQuery(sra_con, paste( "SELECT library_strategy AS
+      'Library Strategy', count( * ) AS Runs FROM `experiment`
+      GROUP BY library_strategy order by Runs DESC", sep=""))
> rs
```

	Library Strategy	Runs
1	WGS	787983
2	AMPLICON	408982
3	RNA-Seq	354974
4	OTHER	202763
5	WXS	195693
6	CLONE	89041
7	ChIP-Seq	58494
8	POOLCLONE	50373
9	Bisulfite-Seq	16017
10	SELEX	14885
11	miRNA-Seq	13166
12	WGA	9791
13	<NA>	9715
14	Targeted-Capture	4849
15	RAD-Seq	3676
16	EST	3333
17	ncRNA-Seq	2587

18	DNase-Hypersensitivity	2139
19	MNase-Seq	1911
20	MeDIP-Seq	1823
21	FL-cDNA	1733
22	RIP-Seq	1547
23	Tn-Seq	1401
24	MBD-Seq	1396
25	WCS	1210
26	MRE-Seq	1083
27	CLONEEND	406
28	FAIRE-seq	286
29	CTS	226
30	ATAC-seq	186
31	Synthetic-Long-Read	150
32	Hi-C	56
33	other	31
34	ChIA-PET	30
35	FINISHING	27
36	VALIDATION	22

3.3 Conversion of SRA entity types

Large-scale consumers of SRA data might want to convert SRA entity type from one to others, e.g. finding all experiment accessions (SRX, ERX or DRX) and run accessions (SRR, ERR or DRR) associated with "SRP001007" and "SRP000931". Function `sraConvert` does the conversion with a very fast mapping between entity types.

Covert "SRP001007" and "SRP000931" to other possible types in the `SRAMetadb.sqlite`:

```
> conversion <- sraConvert( c('SRP001007','SRP000931'), sra_con = sra_con )
> conversion[1:3,]
```

```
      study submission      sample experiment
1 SRP000931 SRA009053 SRS003464 SRX006135
2 SRP000931 SRA009053 SRS003454 SRX006123
3 SRP000931 SRA009053 SRS003453 SRX006129
      run
1 SRR018269
2 SRR018257
3 SRR018263
```

Check what SRA types and how many entities for each type:

```
> apply(conversion, 2, unique)
```

```

$study
[1] "SRP000931" "SRP001007"

$submission
[1] "SRA009053" "SRA009276"

$sample
[1] "SRS003464" "SRS003454" "SRS003453"
[4] "SRS003462" "SRS003456" "SRS003460"
[7] "SRS003459" "SRS003461" "SRS003463"
[10] "SRS003457" "SRS003455" "SRS003458"
[13] "SRS004650"

$experiment
[1] "SRX006135" "SRX006123" "SRX006129"
[4] "SRX006133" "SRX006125" "SRX006131"
[7] "SRX006130" "SRX006122" "SRX006128"
[10] "SRX006132" "SRX006134" "SRX006126"
[13] "SRX006124" "SRX006127" "SRX007396"

$run
[1] "SRR018269" "SRR018257" "SRR018263"
[4] "SRR018267" "SRR018259" "SRR018265"
[7] "SRR018264" "SRR018256" "SRR018262"
[10] "SRR018266" "SRR018268" "SRR018260"
[13] "SRR018258" "SRR018261" "SRR020740"
[16] "SRR020739"

```

3.4 Full text search

Searching by regular table and field specific SQL commands can be very powerful and if you are familiar with SQL language and the table structure. If not, SQLite has a very handy module called Full text search (fts3), which allow users to do Google like search with terms and operators. The function `getSRA` does Full text search against all fields in a fts3 table with terms constructed with the Standard Query Syntax and Enhanced Query Syntax. Please see <http://www.sqlite.org/fts3.html> for detail.

Find all run and study combined records in which any given fields has "breast" and "cancer" words, including "breast" and "cancer" are not next to each other:

```

> rs <- getSRA( search_terms = "breast cancer",
+             out_types = c('run', 'study'), sra_con )
> dim(rs)

[1] 22760    23

```

```

> rs <- getSRA( search_terms = "breast cancer",
+               out_types = c("submission", "study", "sample",
+                             "experiment", "run"), sra_con )
> # get counts for some information interested
> apply( rs[, c('run','sample','study_type','platform',
+               'instrument_model')], 2, function(x)
+       {length(unique(x))} )

```

```

           run           sample
       22760           15737
  study_type           platform
           9               6
instrument_model
           28

```

>

If you only want SRA records containing exact phrase of "breast cancer", in which "breast" and "cancer" do not have other characters between other than a space:

```

> rs <- getSRA (search_terms = '"breast cancer"',
+               out_types=c('run','study'), sra_con)
> dim(rs)

```

```
[1] 17254    23
```

Find all sample records containing words of either "MCF7" or "MCF-7":

```

> rs <- getSRA( search_terms = 'MCF7 OR "MCF-7"',
+               out_types = c('sample'), sra_con )
> dim(rs)

```

```
[1] 3090    10
```

Find all submissions by GEO:

```

> rs <- getSRA( search_terms = 'submission_center: GEO',
+               out_types = c('submission'), sra_con )
> dim(rs)

```

```
[1] 14133    6
```

Find study records containing a word beginning with 'Carcino':

```

> rs <- getSRA( search_terms = 'Carcino*',
+               out_types = c('study'), sra_con=sra_con )
> dim(rs)

```

```
[1] 804    12
```

3.5 Download SRA data files

List ftp addresses of the fastq files associated with "SRX000122":

```
> rs = listSRAfile( c("SRX000122"), sra_con, fileType = 'sra' )
```

The above function does not check file availability, size and date of the sra data files on the server, but the function getSRAinfo does this, which is good to know if you are preparing to download them:

```
> rs = getSRAinfo ( c("SRX000122"), sra_con, sraType = "sra" )
> rs[1:3,]
```

```
1 ftp://ftp-trace.ncbi.nlm.nih.gov/sra/sra-instant/reads/ByExp/sra/SRX/SRX000/SRX000122/
2 ftp://ftp-trace.ncbi.nlm.nih.gov/sra/sra-instant/reads/ByExp/sra/SRX/SRX000/SRX000122/
3 ftp://ftp-trace.ncbi.nlm.nih.gov/sra/sra-instant/reads/ByExp/sra/SRX/SRX000/SRX000122/
  experiment      study      sample      run
1 SRX000122 SRP000098 SRS000290 SRR000648
2 SRX000122 SRP000098 SRS000290 SRR000649
3 SRX000122 SRP000098 SRS000290 SRR000650
  size(KB)      date
1      281 Jan 19 2012
2    130940 Jan 19 2012
3       844 Jan 19 2012
```

Next you might want to download sra data files from the ftp site. The getSRAfile function will download all available sra data files associated with "SRR000648" and "SRR000657" from the NCBI SRA ftp site to the current directory:

```
> getSRAfile( c("SRR000648","SRR000657"), sra_con, fileType = 'sra' )
```

```
      run      study      sample experiment
1 SRR000648 SRP000098 SRS000290 SRX000122
2 SRR000657 SRP000098 SRS000290 SRX000122
```

```
1 ftp://ftp-trace.ncbi.nlm.nih.gov/sra/sra-instant/reads/ByExp/sra/SRX/SRX000/SRX000122/
2 ftp://ftp-trace.ncbi.nlm.nih.gov/sra/sra-instant/reads/ByExp/sra/SRX/SRX000/SRX000122/
```

Then downloaded sra data files can be easily converted into fastq files using fastq-dump in SRA Toolkit (<http://trace.ncbi.nlm.nih.gov/Traces/sra/sra.cgi?view=software>):

```
> ## system ("fastq-dump SRR000648.lite.sra")
```

Or directly download fastq files from EBI using ftp protocol:

```
> getFASTQinfo( c("SRR000648","SRR000657"), sra_con, srcType = 'ftp' )
> getSRAfile( c("SRR000648","SRR000657"), sra_con, fileType = 'fastq' )
```

3.6 Download SRA data files using fasp protocol

Currently both NCBI and EBI supports fasp protocol for downloading SRA data files, which has several advantages over ftp protocol, including high-speed transferring large files over long distance. Please check EBI or NCBI web site or Aspera (<http://www.asperasoft.com/>) for details. SRADB has included two wrapper functions for using ascp command line program (fasp protocol) to download SRA data files from either the NCBI or EBI, which is included in Aspera Connect software. But, due to complexity of installation of the software and options within it, the functions developed here ask users to supply main ascp commands.

Download fastq files from EBI ftp site using fasp protocol:

```
> ## List fasp addresses for associated fastq files:
> listSRAfile( c("SRX000122"), sra_con, fileType = 'fastq', srcType='fasp')
> ## get fasp addresses for associated fastq files:
> getFASTQinfo( c("SRX000122"), sra_con, srcType = 'fasp' )
> ## download fastq files using fasp protocol:
> # the following ascpCMD needs to be constructed according custom
> # system configuration
> # common ascp installation in a Linux system:
> ascpCMD <- 'ascp -QT -l 300m -i
+ /usr/local/aspera/connect/etc/asperaweb_id_dsa.putty'
> ## common ascpCMD for a Mac OS X system:
> # ascpCMD <- "'/Applications/Aspera Connect.app/Contents/
> # Resources/ascp' -QT -l 300m -i '/Applications/
> # Aspera Connect.app/Contents/Resources/asperaweb_id_dsa.putty'"
>
> getSRAfile( c("SRX000122"), sra_con, fileType = 'fastq',
+           srcType = 'fasp', ascpCMD = ascpCMD )
```

Download sra files from NCBI using fasp protocol:

```
> ## List fasp addresses of sra files associated with "SRX000122"
> listSRAfile( c("SRX000122"), sra_con, fileType = 'sra', srcType='fasp')
> ## download sra files using fasp protocol
> getSRAfile( c("SRX000122"), sra_con, fileType = 'sra',
+           srcType = 'fasp', ascpCMD = ascpCMD )
```

The downloading message will show significant faster downloading speed than the ftp protocol:

```
' SRR000658.sra 100Completed: 159492K bytes transferred in 5 seconds (249247K bits/sec),
in 1 file. ... '
```

4 Interactive views of sequence data

Working with sequence data is often best done interactively in a genome browser, a task not easily done from R itself. We have found the Integrative Genomics Viewer (IGV) a high-performance visualization tool for interactive exploration of large, integrated datasets, increasing usefully for visualizing sequence alignments. In `SRADB`, functions `startIGV`, `load2IGV` and `load2newIGV` provide convenient functionality for R to interact with IGV. Note that for some OS, these functions might not work or work well.

Launch IGV with 2 GB maximum usable memory support:

```
> startIGV("mm")
```

IGV offers a remort control port that allows R to communicate with IGV. The current command set is fairly limited, but it does allow for some IGV operations to be performed in the R console. To utilize this functionality, be sure that IGV is set to allow communication via the “enable port” option in IGV preferences. To load BAM files to IGV and then manipulate the window:

```
> exampleBams = file.path(system.file('extdata',package='SRADB'),
+   dir(system.file('extdata',package='SRADB'),pattern='bam$'))
> sock <- IGVsocket()
> IGVgenome(sock, 'hg18')
> IGVload(sock, exampleBams)
> IGVgoto(sock, 'chr1:1-1000')
> IGVsnapshot(sock)
```

5 Graphic view of SRA entities

Due to the nature of SRA data and its design, sometimes it is hard to get a whole picture of the relationship between a set of SRA entities. Functions of `entityGraph` and `sraGraph` in this package generate graphNEL objects with `edgemode='directed'` from input `data.frame` or directly from search terms, and then the `plot` function can easily draw a diagram.

Create a graphNEL object directly from full text search results of terms 'primary thyroid cell line'

```
> library(SRADb)
> library(Rgraphviz)
> g <- sraGraph('primary thyroid cell line', sra_con)
> attrs <- getDefaultAttrs(list(node=list(
+   fillcolor='lightblue', shape='ellipse'))))
> plot(g, attrs=attrs)
> ## similiar search as the above, returned much larger data.frame and graph is too cl
> g <- sraGraph('Ewing Sarcoma', sra_con)
> plot(g)
>
```





Figure 2: A graphical representation of the relationships between the SRA entities.

Please see the Figure 2 for an example diagram.

It's considered good practise to explicitly disconnect from the database once we are done with it:

```
> dbDisconnect(sra_con)
```

```
[1] TRUE
```

6 Example use case

This section will use the functionalities in the `SRADB` package to explore data from the 1000 genomes project. Mainly,

1. Get some statistics of meta data and data files from the 1000 genomes project using the `SRADB`
2. Download data files
3. Load bam files into the IGV from R
4. Create some snapshots programmatically from R

```
> library(SRADb)
> setwd('1000g')
> if( ! file.exists('SRAMetadb.sqlite') ) {
+     sqlfile <- getSRADBFile()
+ } else {
+     sqlfile <- 'SRAMetadb.sqlite'
+ }
> sra_con <- dbConnect(SQLite(),sqlfile)
> ## get all related accessions
> rs <- getSRA( search_terms = '"1000 Genomes Project"',
+     sra_con=sra_con, acc_only=TRUE)
> dim(rs)
> head(rs)
> ## get counts for each data types
> apply( rs, 2, function(x) {length(unique(x))} )
```

After you decided what data from the 1000 Genomes, you would like to download data files from the SRA. But, it might be helpful to know file size before downloading them:

```
> runs <- tail(rs$run)
> fs <- getSRAinfo( runs, sra_con, sraType = "sra" )
```

Now you can download the files through ftp protocol:

```
> getSRAfile( runs, sra_con, fileType = 'sra', srcType = "ftp" )
```

Or, you can download them through fasp protocol:

```
> ascpCMD <- "'/Applications/Aspera Connect.app/Contents/Resources/ascp' -QT -l 300m -  
> sra_files = getSRAfile( runs, sra_con, fileType = 'sra', srcType = "fasp", ascpCMD =
```

Next you might want to convert the downloaded sra files into fastq files:

```
> for( fq in basename(sra_files$fasp) ) {  
+     system ("fastq-dump SRR000648.lite.sra")  
+ }
```

... to be completed.

7 sessionInfo

- R version 3.3.1 (2016-06-21), x86_64-pc-linux-gnu
- Locale: LC_CTYPE=en_US.UTF-8, LC_NUMERIC=C, LC_TIME=en_US.UTF-8, LC_COLLATE=C, LC_MONETARY=en_US.UTF-8, LC_MESSAGES=en_US.UTF-8, LC_PAPER=en_US.UTF-8, LC_NAME=C, LC_ADDRESS=C, LC_TELEPHONE=C, LC_MEASUREMENT=en_US.UTF-8, LC_IDENTIFICATION=C
- Base packages: base, datasets, grDevices, graphics, methods, parallel, stats, utils
- Other packages: BiocGenerics 0.20.0, DBI 0.5-1, RCurl 1.95-4.8, RSQLite 1.0.0, SRADB 1.32.0, bitops 1.0-6, graph 1.52.0
- Loaded via a namespace (and not attached): Biobase 2.34.0, GEOquery 2.40.0, R6 2.2.0, XML 3.98-1.4, httr 1.2.1, stats4 3.3.1, tools 3.3.1