

# Package ‘diggitdata’

October 12, 2020

**Type** Package

**Title** Example data for the diggit package

**Version** 1.20.0

**Date** 2014-08-29

**Author** Mariano Javier Alvarez

**Maintainer** Mariano Javier Alvarez <reef103@gmail.com>

**Description** This package provides expression profile and CNV data for glioblastoma from TCGA, and transcriptional and post-translational regulatory networks assembled with the ARACNe and MINDy algorithms, respectively.

**License** GPL (>=2)

**Depends** R(>= 2.14.0), Biobase, methods

**Imports** viper

**LazyLoad** yes

**biocViews** ExperimentData, Cancer

**git\_url** <https://git.bioconductor.org/packages/diggitdata>

**git\_branch** RELEASE\_3\_11

**git\_last\_commit** ef43de0

**git\_last\_commit\_date** 2020-04-27

**Date/Publication** 2020-10-12

## R topics documented:

diggitdata-package . . . . .	2
gbm.aracne . . . . .	2
gbm.cnv . . . . .	3
gbm.cnv.normal . . . . .	3
gbm.expression . . . . .	3
gbm.mindy . . . . .	4

<b>Index</b>	<b>5</b>
--------------	----------

---

diggitdata-package	<i>Datasets and network models required for the examples in the diggit package</i>
--------------------	--

---

### Description

This package contains a human glioblastoma mRNA expression dataset, a human glioblastoma copy number variation (CNV) dataset, a glioblastoma context-specific transcriptional network, and a glioblastoma context-specific post-translational network.

### Details

Package:	diggitdata
Type:	Package
Version:	0.99.0
Date:	2014-08-29
License:	GPL (>=2)
LazyLoad:	yes

### Author(s)

Mariano Javier Alvarez

Maintainer: Mariano Javier Alvarez <reef103@gmail.com>

---

gbm.aracne	<i>Transcriptional regulatory network for human glioblastoma</i>
------------	--

---

### Description

Human glioblastoma transcriptional regulatory network assembled by the ARACNe algorithm from TCGA expression data. The data is stored in a S3 class 'regulon' object.

### Usage

```
data(gbm.aracne)
```

### References

Margolin, A.A. et al. (2006) ARACNE: an algorithm for the reconstruction of gene regulatory networks in a mammalian cellular context. *BMC Bioinformatics*, 7 Suppl 1, S7.

### Examples

```
data(gbm.aracne)
print(gbmTFregulon)
```

---

`gbm.cnv`*Human glioblastoma TCGA copy number variation (CNV) dataset*

---

**Description**

Normalized CNV data, summarized at the gene level, for 230 samples from TCGA profiled by Agilent HG-CGH-244A arrays. The CNV data is in a matrix format, with samples in columns and genes in rows.

**Usage**

```
data(gbm.cnv)
```

**Examples**

```
data(gbm.cnv)
print(gbmCNV[1:5, 1:5])
```

---

`gbm.cnv.normal`*Human normal blood TCGA copy number variation (CNV) dataset*

---

**Description**

Normalized CNV data, summarized at the gene level, for 33 blood samples from TCGA profiled by Agilent HG-CGH-244A arrays. The CNV data is in a matrix format, with samples in columns and genes in rows.

**Usage**

```
data(gbm.cnv.normal)
```

**Examples**

```
data(gbm.cnv.normal)
print(gbmCNVnormal[1:5, 1:5])
```

---

`gbm.expression`*Human glioblastoma mRNA expression dataset from TCGA*

---

**Description**

ExpressionSet object containing cleaner summarized and mas5 normalized mRNA expression data from 250 human glioblastoma samples profiled by TCGA on HT-HGU133A arrays.

**Usage**

```
data(gbm.expression)
```

**References**

Alvarez,M.J. et al. (2009) Correlating measurements across samples improves accuracy of large-scale expression profile experiments. *Genome Biol.*, 10, R143.

**Examples**

```
data(gbm.expression)
print(gbmExprs)
```

---

gbm.mindy

*Post-translational regulatory network for human glioblastoma*

---

**Description**

Human glioblastoma post-translational regulatory network assembled by the MINDy algorithm from TCGA expression data. The data is stored in a S3 class 'regulon' object.

**Usage**

```
data(gbm.mindy)
```

**References**

Wang,K. et al. (2009) Genome-wide identification of post-translational modulators of transcription factor activity in human B cells. *Nat. Biotechnol.*, 27, 829-39.

**Examples**

```
data(gbm.mindy)
print(gbmMindy)
```

# Index

## \* datasets

- gbm.aracne, [2](#)
- gbm.cnv, [3](#)
- gbm.cnv.normal, [3](#)
- gbm.expression, [3](#)
- gbm.mindy, [4](#)

[diggitdata \(diggitdata-package\), 2](#)  
[diggitdata-package, 2](#)

[gbm.aracne, 2](#)  
[gbm.cnv, 3](#)  
[gbm.cnv.normal, 3](#)  
[gbm.expression, 3](#)  
[gbm.mindy, 4](#)  
[gbmCNV \(gbm.cnv\), 3](#)  
[gbmCNVnormal \(gbm.cnv.normal\), 3](#)  
[gbmExprs \(gbm.expression\), 3](#)  
[gbmMindy \(gbm.mindy\), 4](#)  
[gbmTFregulon \(gbm.aracne\), 2](#)